



भारत सरकार Government of India
 विद्युत मंत्रालय Ministry of Power
 उत्तर पूर्वी क्षेत्रीय विद्युत समिति
 North Eastern Regional Power Committee
 लपालांग शिलांग 793006
 Lapalangi, Shillong 793006

क्रमांक: एनईआरपीसी/कॉम/आरटीए/2025/2000-2038
 No. NERPC/COMM/RTA/2025/2000-2038

दिनांक: 27 जून, 2025
 Dt: 27 June, 2025

सेवा में / To,
 संलग्न सूची के अनुसार
 As per list enclosed.

Sub/विषय - जुलाई 2025 के बिलिंग माह के लिए अनंतिम आरटीए-तत्संबंधी/Provisional RTA for the Billing Month of July 2025- reg.

सर/मैडम,
 Sir/Madam.

जुलाई 2025 के बिलिंग महीने के लिए क्षेत्रीय ट्रांसमिशन खाते (आरटीए) की एक अनंतिम प्रति आवश्यक कार्रवाई के लिए संलग्न है। आरटीए को सीईआरसी (अंतर-राज्य ट्रांसमिशन शुल्क और हानियों का साझाकरण) विनियमन, 2020 और उसके बाद के संशोधनों के अनुसार तैयार किया गया है। आरटीए एनईआरपीसी की वेबसाइट <https://www.nerpc.gov.in> पर भी उपलब्ध है।

घटक अपने अवलोकन/टिप्पणियाँ, यदि कोई हों, खाते के जारी होने की तारीख से 15 दिनों के भीतर भेज सकते हैं। यदि घटकों से कोई संचार प्राप्त नहीं होता है, तो जारी किए गए आरटीए को अंतिम आरटीए माना जाएगा।

A Provisional copy of Regional Transmission Account (RTA) for the billing month of July 2025 is enclosed herewith for necessary action. The RTA has been prepared in accordance with the CERC (Sharing of inter-state transmission charges and losses) Regulation, 2020 and its subsequent Amendments. The RTA is also available on NERPC website <https://www.nerpc.gov.in>.

Constituents may send their observation/ comments, if any on the same within 15 days from the date of issue of the account. In case no communication is received from constituents, the RTA as issued would be treated as final RTA.

Enclosed - As above

संलग्न - उपरोक्तानुसार

भवदीय / Yours faithfully,


 (माया कुमारी/Maya Kumari)
 उप निदेशक/Deputy Director

पत्तों की सूची /List of Addressees:

1. CMD, TSECL, Bidyut Bhawan, Agartala – 799 001
2. Director (Distribution), MePDCL, Lumjingshai, S.R. Road, Shillong – 793 001
3. Engineer-in-Chief (P&E), P&E Dept., Govt. of Mizoram, Aizawl – 796 001
4. Chief General Manager (Comml), APDCL, Bijulee Bhawan, Paltan Bazar, Guwahati – 781 001
5. Chief Engineer (Comm), Dept. of Power, Govt. of Arunachal Pradesh, Itanagar – 791 111
6. Managing Director, MSPDCL, Keishampat, Imphal-795 001.
7. E-in-C, Dept. of Power, Govt. of Nagaland, Kohima – 797 001
8. Chief Engineer, Loktak HE Project, Vidyut Vihar, Komkeirap, Manipur – 795 124
9. Executive Director (Comml.), NEEPCO Ltd., Lower New Colony, Shillong – 793 003
10. Executive Director, NERTS, POWERGRID, Lapalang, Shillong – 793 006
11. Managing Director, OTPC, Core 4 & Central, 10th Floor, SCOPE Minar, Laxmi Nagar, Delhi – 110092
12. GM (Comml.), NTPC, 3rd Floor OLIC building, Plot No.N.17/2, Nayapalli, Bhubaneshwar-12
13. CE (G. M.), CEA, SewaBhawan, R.K.Puram, New Delhi – 110 066.
14. G. M., NERLDC, Lower Nongrah, Dongtieh, Lapalang, Shillong - 6.
15. C.G.M (SLDC) AEGCL, Kahelipara, Guwahati.
16. Gen. Manager (Comml.), NHPC Ltd., NHPC Office complex, Sector –33, Faridabad-121003.
17. G.M (Commercial) APDCL, Bijulee Bhawan, Paltan Bazar, Guwahati - 781 001.
18. General Manager, Ranganadi HEP, NEEPCO, Yazlee, Ar. Pradesh
19. Project Manager, Doyang HEP, NEEPCO, Nagaland
20. Project Manager, AGBPP, NEEPCO Ltd., No. –III, Vill. Bokuloni, Dibrugarh, Assam.
21. Project Manager, AGTPP, NEEPCO Ltd., Ramchandranagar, Agartala, Tripura West- 799008.
22. Dy. G. M (Elect.), Kopili HEP, NEEPCO Ltd., Umrangso, N.C. Hills, Assam.
23. Supdt. Engr. (System Management) MeECL, Lumjingshai, Short Round Road, Shillong.
24. Supdt. Engr. (Commercial) Deptt. of Electricity, Govt.of Manipur, Keisampet, Imphal. 795001
25. Executive Engineer, MSLDC, P & E Dept., Chaltlang, Aizawl- 796012.
26. Supdt. Engr. Dimapur Sub-station Deptt. of Power, Govt.of Nagaland, Dimapur.
27. Dy. G. M. (Commercial) NERTS, Lower Nongrah, Dongtieh, Lapalang, Shillong - 6.
28. Dy. General Manager (ER), POWERGRID, Boring Road, Alankar Place, Patna - 800 001
29. DGM (Comml), OTPC, Core 4 & Central, 10th Floor, SCOPE Minar, Laxmi Nagar, Delhi – 110092
30. DGM (Comml.), NTPC, 3rd Floor OLIC building, Plot No.N.17/2, Nayapalli, Bhubaneshwar-12
31. AGM (Comml.), NTPC, Bongaigaon Thermal Power Project, P.O Salakati, Kokrajhar-783369
32. Addl. General Manager,Comml & Sys.Opn., TSECL,Banamalipur,Agartala.-799001.
33. Ex. Engr., SLDC, Deptt. of Power, Itanagar, Ar. Pradesh – 791 111
34. CEO, NVVN Ltd., 7th Floor, Scope Complex, Lodhi Road, N.Delhi- 110 003
35. Power Trading Corpn. of India Ltd., 2nd Floor, NBCC Tower, 15-Bhikaji Cama Place, New Delhi – 66.
36. Member Secretary, NRPC,18-A, Shaheed Jeet Singh Marg,Katwaria Sarai, NewDelhi-110016.
37. Member Secretary, ERPC,14, Golf Club Road, Kolkata- 700 033.
38. Member Secretary, WRPC, Plot No F-3, MIDC Area, Opp Seepz,Marol,Andheri (E), Mumbai-400 093.
39. Member Secretary, SRPC, 29, Race Course Road, Bangalore- 560009.


(माया कुमारी/Maya Kumari)
उप निदेशक/Deputy Director

**NORTH EASTERN REGIONAL POWER COMMITTEE
REGIONAL TRANSMISSION ACCOUNT
BILLING MONTH: July 2025**

27-06-2025

Zone	Region	GNA (in MW)	Usage based AC system charges (Rs.)	Balance AC system charges (Rs.)	National Component (Rs.)		Regional Component (Rs.)	Transformers component (Rs.)	Bilateral Charges (Rs.)	Total Transmission charges payable in ₹ (without waiver)
			AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
Arunachal Pradesh	NER	208.00	7946332	30981710	6020596	4975422	6713185	10964547	-	67601793
Assam	NER	1767.00	85560026	263195588	51146120	42267169	57029798	21343588	-	520542289
Manipur	NER	177.00	11876762	26364244	5123296	4233893	5712662	3098184	-	56409041
Meghalaya	NER	290.00	5955563	43195654	8394100	6936887	9359729	6445291	-	80287224
Mizoram	NER	150.00	6225699	22342580	4341776	3588045	4841239	972697	-	42312036
Nagaland	NER	146.00	11291636	21746777	4225995	3492364	4712139	20424474	-	65893386
Tripura	NER	311.00	4650122	46323615	9001949	7439213	10037503	20603206	-	98055608
PG-HVDC-NER	NER	1.20	97450	178741	34734	28704	38730	-	-	378359


 भाया कुमारी / Maya Kumari
 उप-निरीक्षक / Deputy Director
 उ.पू.वे.पि.स. / N.E.R.P.C.
 विद्युत विभाग / Ministry of Power
 भारत सरकार / Govt. of India
 Dispur / Shillong

Details of Waiver % of DICs for July 2025 Billing Month(May'25 Billing Period)

Region	State	DIC	Waiver(%)
NER	Arunachal Pradesh	Arunachal Pradesh	0.000
NER	Assam	Assam	2.853
NER	Manipur	Manipur	0.000
NER	Meghalaya	Meghalaya	0.000
NER	Mizoram	Mizoram	0.000
NER	Nagaland	Nagaland	0.000
NER	Tripura	Tripura	0.000
NER		PG-HVDC-NER	0.000


मया कुमारी / Maya Kumari
उप-निरीक्षक / Deputy Director
उ.पु.व.वि.स. / N.E.R.P.C.
विद्युत विभाग / Ministry of Power
भारत सरकार / Govt. of India
दिसंबर / December



ग्रिड कंट्रोलर ऑफ इंडिया लिमिटेड
(भारत सरकार का उपक्रम)

GRID CONTROLLER OF INDIA LIMITED

(A Government of India Enterprise)

[Formerly Power System Operation Corporation Limited (POSOCO)]

राष्ट्रीय भार प्रेषण केन्द्र/National Load Despatch Centre

Notification of Transmission charges payable by DICs for Billing Month of July, 2025

No: TC/06/2025

Date: 25.06.2025

1. Central Electricity Regulatory Commission (Sharing of Inter-State Transmission Charges and Losses), Regulations 2020 came into force with effect from 1.11.2020. National Load Despatch centre (NLDC) as the Implementing Agency under Sharing Regulations 2020 has been entrusted with the responsibility of computation of ISTS transmission charges and losses. As per Regulation (14)(5)(b), Transmission charges payable by DICs shall be notified by the Implementing Agency by 25th day of the month following billing period. The computation of transmission charges shall be done on the basis of inputs received from ISTS Licensees, DICs/ States, CTU as per the Regulations.
2. Central Electricity Regulatory Commission has notified three amendments to Central Electricity Regulatory Commission (Sharing of Inter-State Transmission Charges and Losses), Regulations 2020 which came into force with effect from 1.10.2023, 1.11.2023 and 26.10.2023 respectively.
3. As per Regulation 24(1), all entities whose transmission elements have declared COD during the billing period shall submit to the Implementing Agency, network data, date(s) of commercial operation of the new transmission element and Yearly Transmission Charge (YTC) of such transmission element in the format stipulated by the Implementing Agency, on or before the end of the billing period.
4. As per Regulation 24(2), Implementing Agency shall publish the peak block of the billing period on the first day of the month following the billing period. Accordingly, NLDC had identified **90th time block (22:15 Hrs to 22:30 Hrs) on 14th May 2025** as a peak block for the billing period of May'25 and published the information of peak block on Grid-India website. Details of the inputs from entities have been received as per the stipulated timelines is enclosed as **Annexure-I**.
5. Based on the inputs furnished by ISTS licensees, Monthly Transmission Charges (MTC) to be considered in the computations have been shared with all ISTS licensees/ deemed ISTS licensees for review and comments on 23.06.2025 with last date of submission of comments as 24.06.2025. Comment were received from North East Transmission Company Limited and Powergrid Himachal Transmission Ltd.
6. Based on inputs furnished by DICs/ States, all India basic network has been prepared along with node wise generation and demand as per the peak block and was made available on Grid-India website on 15.06.2025 for review and comments by DICs/ States in line with the notified procedures latest by 18.06.2025.
7. In respect of the billing period of May 2025, total number of licensees were 98, with the total monthly charges amounting to Rs. 3882.28 Crores. The aggregate quantum of GNash for the said period was 1,21,971 MW.
8. As per CERC order dated 20.04.2025 in Petition No. 131/MP/2024, CERC directed NLDC (Implementing Agency) to strictly adhere to the directions in the aforesaid order for all Change in Law claims pertaining to Electricity

(Timely Recovery of Costs due to Change in Law) Rules, 2021 forwarded to NLDC by the transmission licensees. Accordingly, NLDC incorporated the same in the computation for the billing period of May 2025.

9. The methodology involved in the computation exercise along with the assumptions followed in the computations are enclosed at **Annexure-II**.
10. CERC had notified the CERC (Connectivity and General Network Access to the inter-State Transmission System) (First Amendment) Regulations, 2023 on 01.04.2023 w.e.f 05.04.2023. As per Annexure-II of the said Regulations, titled as "Methodology to determine 'Direct drawal' by a State from a regional entity generating station", CTU will provide the list of regional entity generating stations (connected to STU and ISTS or only STU) to NLDC within a week of coming into effect of these Regulations for computation of Direct drawal by the state.

Accordingly, based on the inputs received from CTU, NLDC had computed GNash and GNAd and published the same on Grid-India website on 03.07.2023. Subsequently, CTUIL vide email dated 24.11.2023 has furnished revised list of eligible regional entity generating stations (connected to STU and ISTS or only STU) for computation of GNash and GNAd. Accordingly, NLDC has revised GNash and GNAd. Updated details of GNash and GNAd are enclosed as Annexure-X.

For computation of transmission charges of states, corresponding GNA has been reduced by quantum of GNAd of the state.

11. CERC vide notification dated 26.10.2023 has notified the CERC (Sharing of Inter-State Transmission Charges and Losses)(Third Amendment), Regulations 2023 w.e.f. 26th October,2023. Relevant part of the notification is as follows:

"(a) Regional Component of HVDC (RC-HVDC) comprising of 70% of Yearly Transmission Charges of HVDC transmission systems planned to supply power to the concerned region, except HVDC transmission systems covered under sub clauses (a), (b) and (c) of Clause (3) of Regulation 5:

Provided that where an inter-regional HVDC transmission system planned to supply power to a particular region is operated to carry power in the reverse direction due to system requirements, the percentage of Yearly Transmission Charges of such transmission systems to be considered in the Regional component and the National component shall be calculated as follows:

HVDCr (in %) = (MW capacity of power flow in the reverse direction / MW capacity of power flow in the forward direction) X100

Where, HVDCr (in %) is more than 30%, the Yearly Transmission Charges corresponding to HVDCr shall be considered in the National component and the balance in the regional component.

Where, HVDCr (in %) is equal to or less than 30%, 30% of Yearly Transmission Charges shall be considered in the National component and 70% in the Regional component:

....."

Accordingly, Transmission charges for HVDC Raigarh-Pugalur has been computed based on the above methodology after considering 3000 MW capacity in the reverse direction and 6000MW capacity in the forward direction from date of coming into effect of CERC (Sharing of Inter-State Transmission Charges and Losses)(Third Amendment), Regulations 2023 which is 26.10.2023.

12. As per Annexure-III of CERC (Sharing of Inter-State Transmission Charges and Losses)(First Amendment), Regulations 2023, % waiver for transmission charges is to be computed based on the drawal schedule of drawee entities. Relevant part of the Regulations is as follows:

" (a) The transmission charges towards ISTS for each drawee DIC shall be computed in accordance with Regulations 5 to 8 of these regulations.

(b) The waiver of transmission charges shall be calculated in the following manner: -

- (i) Waiver of a drawee DIC other than a drawee DIC which has obtained "GNARE" shall be calculated based on the following formulae:

$$\text{Waiver (\%)} = 100 \times \frac{\sum_{n=1}^T \frac{\text{SDRG}}{\text{SDTG}}}{T}$$

Where, "SDRG" is the drawl schedule (in MW) through ISTS under GNA from the sources eligible for waiver under Regulation 13 of these regulations in nth block;

"SDTG" is the total drawl schedule (in MW) under GNA through ISTS from all sources in nth block; "n" is the nth time block

"T" is number of time blocks in a month = 96 X number of days in a month

Provided that in case the "SDTG" for a time block is less than 75% of the maximum schedule corresponding to GNA, the "SDTG" shall be taken as 75% of maximum schedule corresponding to GNA for a time block. (ii) Waiver of a drawee DIC which has obtained "GNARE" shall be calculated based on the following formulae:

$$\text{Waiver (\%)} = 100 \times (\text{sum of SDRG for all time blocks in the month}) / (\text{total number of time blocks in the month} \times 0.3 \times \text{GNARE})$$

Where, "GNARE" is the GNA to procure power only from the sources eligible for waiver under Regulation 13 of these regulations; "SDRG" is the drawl schedule (in MW) in a time block through ISTS under GNARE from the sources eligible for waiver under Regulation 13 of these regulations;


Provided that maximum waiver shall be limited to 100%: Provided further that if such an entity draws power from any source other than the sources eligible for waiver under Regulation 13 (2) of these regulations, except after obtaining additional GNA or T-GNA or converting GNARE into GNA by making an application to CTU, it shall be charged @TDR of the State in which such an entity is located."

In accordance with the above regulatory provisions, % waiver for drawee DICs has been computed considering the drawal schedule under GNA and GNA-RE.

13. Accordingly, the transmission charges are hereby notified for the billing month of Jul'25 mentioned as follows:

- a) Various components of the transmission charges determined have been added for each DIC in order to compute total transmission charges payable by the DIC.
- b) The transmission charges are computed separately for both GNA and T-GNA :
 - For GNA billing in ₹: These charges are calculated for Drawee DICs and Generating Entity as applicable.
 - For T-GNA billing in (Rs./MW/block) : These rates are calculated for all the states.
- c) The notified transmission charges payable by DICs for the billing month of Jul'25 shall be used by RPCs for preparation of Regional Transmission Account (RTA) for the billing month of Jul'25 considering details of GNA enclosed along with this notification.
- d) The notified waiver % of Drawee DICs for the billing month of Jul'25 are to be used by CTUIL for computation of waiver amount of drawee DICs.
- e) Transmission charges shall be payable by the entities who are granted T-GNA or T-GNARE under Regulation 26.1 of the GNA Regulations.
- f) The notified transmission charges for T-GNA bilateral transactions shall be applicable for the applications received on or after 00:00 Hrs of the next day (D+1) following the date of this notification (D). In the case of T-GNA collective transactions, both DAM and RTM, the notified transmission charges shall be applicable from the delivery day D+2 following the date of this notification.

- g) The transmission charges payable by DICs for GNash are given at Annexure-III.
- h) Waiver % of Drawee DICs are attached as Annexure-IV.
- i) Applicable T-GNA rates are attached as Annexure-V.
- j) Details of GNash is given at Annexure-VI.
- k) ISTS licensee wise break up of Monthly Transmission Charges (MTC) is given at Annexure-VII.
- l) Entity-wise details of bilateral billing are given separately at Annexure-VIII.
- m) Details of Transmission Charges to be paid to Transmission Licensees as per Regulation 13(12) is given at Annexure-IX.
- n) Details of GNash and GNAd is given at Annexure-X.
- o) Details of commercial data of RE transmission network to be considered for NC-RE component as furnished by CTU is given at Annexure-XI.


(देबज्योति मजूमदार)
मुख्य प्रबंधक / रा. मा. प्रे. के.

Input Data furnished by DICs/ ISTS Licensees/ CTU

1. As per Regulation 24(1) of Sharing Regulations 2020, some of the ISTS Licensees have submitted YTC data by 31.05.2025. Rajgarh Transmission Limited has submitted its YTC on 01.06.2025. Powergrid submitted its YTC and YTC of its SPVs' on 01.06.2025. Torrent Power Grid Limited has submitted its YTC on 03.06.2025. Darbhanga-Motihari Transmission Co. Ltd., NRSS XXXI (B) Transmission Ltd. and Kudgi Transmission Ltd. have submitted its YTC on 04.06.2025. Kohima Mariani Transmission Limited has submitted its YTC on 05.06.2025.
2. The list of ISTS licensees that have submitted YTC data is mentioned as below.

List of ISTS Licensees submitted the YTC data for the billing period May'25

Sl. No.	Name of ISTS Licensee
1	Powergrid Corporation Of India Ltd
2	Adani Transmission (India) Limited
3	Chhattisgarh-WR Transmission Limited.
4	Raipur Rajnandgaon-WR Transmission Limited.
5	Sipat Transmission Limited.
6	Western Transmission Gujarat Limited
7	Western Transco Power Limited
8	Alipurduar Transmission Limited
9	Fatehgarh-Bhadla Transmission Ltd.
10	North Karanpura Transco Limited
11	Bikaner-Khetri Transmission Limited
12	Jam Khambaliya Transco Limited
13	Lakadia-Banaskantha Transmission Limited
14	WRSS XXI (A) Transco Limited
15	Karur Transmission Limited
16	Khavda-Bhuj Transmission Limited
17	Essar Transco Limited

Sl. No.	Name of ISTS Licensee
18	Kudgi Transmission Limited
19	Parbati Koldam Transmission Company Limited
20	Bhopal Dhule Transmission Company Ltd.
21	East North Interconnection Company Limited
22	Gurgaon Palwal Transmission Limited
23	Jabalpur Transmission Company Limited
24	Maheshwaram Transmission Limited
25	Khargone Transmission Company Ltd.
26	Goa Tamnar Transmission Projects Limited
27	Mumbai Urja Marg Limited
28	Lakadia Vadodara Transmission Company Limited
29	Nangalbibra Bongaigaon Transmission Limited
30	NRSS-XXIX Transmission Limited
31	Odisha Generation Phase-II Transmission Limited
32	Patran Transmission Company Limited
33	Purulia & Kharagpur Transmission Company Limited
34	Rapp Transmission Company Limited
35	NER-II Transmission Limited
36	Kallam Transmission Limited
37	Torrent Power Grid Limited
38	Darbhanga-Motihari Transmission Company Limited
39	NRSS XXXI (B) Transmission Limited
40	Powergrid Himachal Transmission Ltd (Jaypee Powergrid Limited)
41	Kohima Mariani Transmission Limited
42	Raichur Sholapur Transmission Company Private Limited
43	Koppal-Narendra Transmission Limited

Sl. No.	Name of ISTS Licensee
44	NRSS XXXVI Transmission Limited
45	Warora-Kurnool Transmission Limited
46	Rajgarh Transmission Limited
47	Gadag Transmission Limited
48	Powergrid Vizag Transmission Limited
49	Powergrid NM Transmission Limited
50	Powergrid Unchahar Transmission Limited
51	Powergrid Parli Transmission Limited
52	Powergrid Kala Amb Transmission Limited
53	Powergrid Southern Interconnector Transmission System Limited
54	Powergrid Jabalpur Transmission Limited
55	Powergrid Warora Transmission Limited
56	Powergrid Medinipur Jeerat Transmission Limited
57	Powergrid Mithilanchal Transmission Limited
58	Powergrid Ajmer Phagi Transmission Limited
59	Powergrid Varanasi Transmissoin System Limited
60	Powergrid Fatehgarh Transmission Limited
61	Powergrid Khetri Transmission System Ltd.
62	Powergrid Bhuj Transmission Limited
63	Powergrid Bikaner Transmission System Limited
64	Powergrid Ramgarh Transmission Limited
65	Powergrid Neemuch Transmission System Limited
66	Powergrid Bhadla Transmission Limited
67	Powergrid Aligarh Sikar Transmission Limited
68	Powergrid Sikar Transmission Limited

Sl. No.	Name of ISTS Licensee
69	Powergrid ER NER Transmission Limited
70	Powergrid Raipur Pool Dhamtari Transmission Limited
71	Powergrid Dharamjaigarh Transmission Limited
72	North East Transmission Company Limited
73	Transmission Corporation Of Andhra Pradesh (APTRANSCO)
74	Power Transmission Corporation of Uttarakhand Ltd.
75	Haryana Vidyut Prasaran Nigam Limited

3. As per Sharing Regulations 2020 and NLDC notified Procedure for collection of data and information, CTU shall submit all required data and information as stipulated in Formats II(A) to II(I) within 10 days after the end of the billing period i.e. by 10.06.2025. NLDC provided CTU with a detailed list of ISTS assets of all the licensees for segregation into various components in the prescribed formats on 02.06.2025. CTU submitted the data in Format II(C) on 19.06.2025. Subsequently, on 20.06.2025, CTU submitted the data in Formats II(A), II(B), II(E), and II(F). Furthermore, revised Format II(E) and the remaining data in Formats II(D), II-(G1) to II-(G5), II(H), and II(I) was submitted by CTU on 24.06.2025.

4. As per Regulation 24(4) and NLDC notified Procedure for collection of data and information, DICs shall submit the required information to the Implementing Agency as stipulated in Formats III and IV for the billing period within 7 days after end of the billing period. The list of the DICs that have submitted the data by 07.06.2025 is as mentioned below:

S.NO.	WR	SR	NR	NER	ER
1	Chattisgarh	Andhra Pradesh	Uttar Pradesh	Assam	Odisha
2	Gujarat	Telangana	Haryana	Manipur	
3	MP	Karnataka	Himachal Pradesh	Meghalaya	
4	Maharashtra	Kerala	Delhi	Mizoram	
5	Goa	Tamil Nadu	Rajasthan	Nagaland	
6	D&D and DNH	PVG Azure Earth	Punjab	Tripura	
7	Hazira	Yarrow Infra Structure Private Ltd. (Pavagada Solar Park)	Jammu & Kashmir		
8	RIL Jamnagar	PVG AMPLUS Tumkur and PVG AMPLUS Pavagada			

S.NO.	WR	SR	NR	NER	ER
9	ACBIL	PVG Fortum Finsurya.			
10	Spectrum Power	ANP_AZURE			
11	Maruti Coal Power	Athena Galiveedu			
12	BALCO				
13	DGEN				
14	Dhariwal				
15	GMR Warora (EMCO)				
16	Raipur Energen				
17	JPL Stg-1				
18	JPL Stg-2				
19	Jhabua Power				
20	JP Nigrie				
21	KAPS 1&2				
22	KAPS 3&4				
23	Raigarh Energy				
24	KSK Mahanadi				
25	LANCO				
26	MB Power				
27	Essar Mahan				
28	NSPCL Bhilai				
29	RKM Power				
30	Sasan UMPP				
31	SKS Power				
32	SSP				

S.NO.	WR	SR	NR	NER	ER
33	TAPS (3,4)				
34	TAPS (1,2)				
35	Naranpar Ostro				
36	ACME RUMS				
37	Mahindra Renewables Pvt. Ltd. (RUMS)(Badwar)				
38	ARINSUM				
39	Bhuvad Renew				
40	Vadwa Green Infra				
41	Roha Green infra				
42	Dayapar Inox(wind)				
43	Ratadiya AGEMPL				
44	Alfanar wind				
45	Renew AP2 Gadhsisa				
46	Avikiran				
47	Powerica				
48	SESPL Morjar				
49	SBESS				
50	Netra Wind				
51	SKRPL(Sitac Kabini Renewables)				
52	AWEK4L				
53	Apraava				
54	Torrent Solar				
55	Agar U-4: Avaada(LADWAN)				
56	AREH4L PSS3				
57	Beempow(UMARIA)				

S.NO.	WR	SR	NR	NER	ER
58	ASEJ6PL(SRPL Khavda PSS-9)				
59	TP Saurya Unit-2				
60	NTPC REL Dehripal (Pachora)				
61	RGESPL				
62	AGEL PSS4				

Methodology of the computations and assumptions followed in the basic network

a) Modeling of the Basic Network

- A. The All India network was modeled with the help of network data and node wise generation and demand data furnished by DICs. Wherever network data has not been provided by DICs, network data already available at RLDCs/NLDC has been considered. Wherever technical parameters were not furnished, standard parameters as per CEA Manual on Transmission Planning Criteria have been used.
- B. Certain Transmission Lines included in the basic network were partly owned by ISTS Licensee and partly by STUs. There were cases where the existing lines originally owned by one utility have been made LILO by other utility. In cases where the line originally owned by ISTS Licensee has been made LILO by STU, the Monthly Transmission Charge for the entire line has been considered (including the section owned by STU). In cases where the line originally owned by STU has been made LILO by ISTS Licensee, the Monthly Transmission Charge for the entire line has not been considered.
- C. All India basic network up to 66/ 33 kV level and at some nodes even till 0.4 kV level has been prepared. As per the Sharing Regulations 2020, basic network means power system at voltage levels of 110 kV and above, containing all power system elements including generating station and transmission systems.
- D. In line with Sharing Regulations 2020, all India basic network has been truncated to 110 kV level. Power flow into lower voltage system has been considered as load at the substation at truncated point. Power flow from a lower voltage system has been considered as generation at the substation at truncated point.
- E. To account for the transmission losses of the truncated lower voltage network and to ensure state drawal as per SEM data corresponding to peak block, minor adjustments in states generation has been done.
- F. Interstate generating Stations (ISGS) connected at 220kV and below voltage level are created as separate control areas.
- G. 400 kV Singrauli considered as slack bus.

b) Load Generation balance for the basic network

- A. Node wise generation and demand data for the peak block as submitted by DICs has been considered to prepare Load Generation balance.
- B. Wherever aggregate generation and demand data submitted by DICs, the generation and demand data has been distributed across the nodes of the DICs as per the node wise distribution of the TTC/ATC base case applicable for May'25.
- C. Wherever node wise generation and demand data has not been provided by DICs, SEM data/ SCADA data available with NLDC/RLDCs has been considered. In the absence of SEM/ SCADA data, the node wise generation and demand data as available from TTC/ ATC base case / recently submitted base case of states has been considered.

c) Commercial Data considered in the computations

- A. The data as submitted by the ISTS Licensees has been examined by NLDC and suitably considered for computation of transmission charges for DICs for the billing period May'25. For the ISTS licensees who have not submitted YTC data for May'25, the YTC data recently available with reference to the previous computations have been considered.

- B. All ISTS transmission assets commissioned by the end of May'25 as furnished by ISTS licensees have been considered in the computations.
- C. Yearly Transmission Charges (YTC) based on approved/ adopted tariff by CERC has only been considered in line with Sharing Regulations 2020. RPC certified non-ISTS lines as ISTS lines have not been considered in the computations.
- D. The assets of State Utilities whose approved Tariff by the Commission is not available as on 31.03.2019 are not being considered in the computations since 2019-20 Q3 in line with Terms & Conditions of Tariff Regulations. The same is continued in this computation.
- E. As per minutes of Validation Committee meeting held for 2020-21 Q2 PoC computations, for the assets of Essar Power transmission limited, combined tariff of LILO of 400kV Vindhychal-Korba at Mahan, GIS S/s at Hazira and 400kV Hazira-Gandhar line) was being excluded from PoC computations in the absence of exclusive tariff of LILO of 400kV Vindhychal-Korba at Mahan since 2020-21 Q2. As per CERC Order dated 04.06.2021 in I.A. No. 32/2021 in Petition No. 92/MP/2021, exclusive tariff of 400kV Hazira-Gandhar Line and GIS S/s at Hazira has been approved and same has been considered for billing period May'25.
- F. As per Regulation (13) clauses (3), (6), (9), the YTC of assets claimed by licensees have been examined to find out whether the YTC to be completely or partly billed to generators. Accordingly, transmission charges have been computed for DICs in line with the Regulations.
- G. All ISTS assets corresponding to the bilateral payments on the basis of information furnished by ISTS licensees and the worked out bilateral payments in line with Regulation (13) have been considered while preparing final transmission charges for DICs.
- H. The components of Yearly Transmission Charges such as National Component for RE (NC-RE), National Component for HVDC (NC-HVDC), Regional Component (RC) and Transformers Component (TC) have been worked out on the basis of the inputs furnished by CTU.
- I. Indicative cost level of different conductor configuration was provided by CTU and is as follows:

Sl. No.	Voltage level (kV)	Type of conductor configuration	Indicative cost (Rs.Lakh/km)
1	± 800	HVDC	342
2	± 500	HVDC	169
3	765	D/C	569
4	765	S/C	220
5	400	S/C	92
6	400	M/C TWIN	427
7	400	D/C Quad Moose	351
8	400	D/C Twin HTLS	219
9	400	D/C Twin Moose	196
10	400	M/C QUAD	810
11	400	D/C TRIPLE	226
12	400	S/C QUAD	153
13	220	D/C	100

Sl. No.	Voltage level (kV)	Type of conductor configuration	Indicative cost (Rs.Lakh/km)
14	220	S/C	52
15	220	M/C TWIN	307
16	132	D/C	64
17	132	S/C	27
18	132	M/C TWIN	215

- J. The indicative cost levels provided by CTU are for only selected configurations and voltage level. Hence, for the conductor configurations which are not mentioned in the above list, following assumptions have been made:
- The indicative cost level of 765 kV lines (Quad Bersimis) charged at 400 kV has been considered to be same as cost of one circuit of 400 kV Quad Moose D/C.
 - The indicative cost level of 400 kV Quad Bersimis D/C has been considered to be same as 400 kV Quad Moose D/C.
 - The indicative cost level of 765 kV Hexa zebra has been considered to be same as 765 kV Quad Bersimis.
 - The indicative cost levels of 400 kV ACKC, ACAR, AAAC, Moose, Zebra and Lapwing have been considered to be same as 400 kV Twin Moose depending on the no. of circuits.
 - 400 kV lines (Twin Moose) charged at 220 kV are charged as per the rate of 220 kV D/C lines.
- K. Circuit Kms of RE lines considered as National component has been considered as zero.
- L. Circuit Kms of the assets covered under Regulation (13) clauses (3), (6), (9), have been pro-rata adjusted with respect to YTC considered for bilateral payment wherever YTC are to be partly included in the computations.

d) Computation of Usage part of AC system charges

- The usage part of AC system charges has been computed by running AC load flow and determining the utilization of the lines with respect to SIL of the lines. For SIL of lines at various voltage levels, annexure-II to Regulations has been followed.
- AC Usage Base Charges (AC-UBC) thus determined has been used for apportionment through hybrid method and computed total aggregated nodal charges in Rupees for each drawee DIC.

Transmission Charges for Designated ISTS Customers (DICs) for the billing month of July,2025

S.No.	Zone	Regi on	GNash (in MW)	Usage based AC system charges (₹)	Balance AC system charges (₹)	National Component (₹)		Regional Component (₹)	Transformers component (₹)	Bilateral Charges (₹)	Total Transmission charges payable in ₹ (without waiver)
				AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
1	Delhi	NR	4,810	32,93,45,106	71,64,52,053	13,92,26,281	11,50,56,640	21,44,71,686	5,67,59,147		1,57,13,10,913
2	UP	NR	10,759	93,22,14,640	1,60,26,27,469	31,14,34,466	25,73,69,536	47,97,50,478	13,74,45,662		3,72,08,42,252
3	Punjab	NR	5,529	25,28,04,210	82,35,47,484	16,00,37,860	13,22,55,336	24,65,30,967	10,49,32,618		1,72,01,08,475
4	Haryana	NR	5,143	51,59,71,480	76,60,52,580	14,88,65,024	12,30,22,100	22,93,19,726	21,37,95,357		1,99,70,26,265
5	Chandigarh	NR	342	1,19,02,769	5,09,41,082	98,99,249	81,80,742	1,52,49,338	2,50,43,827		12,12,17,008
6	Rajasthan	NR	5,746	34,21,29,467	85,58,69,750	16,63,18,963	13,74,46,041	25,62,06,716	8,82,46,321		1,84,62,17,258
7	HP	NR	1,181	3,03,46,481	17,58,36,102	3,41,69,777	2,82,37,914	5,26,36,970	3,65,13,392		35,77,40,634
8	J&K	NR	1,977	7,08,19,755	29,44,75,199	5,72,24,607	4,72,90,432	8,81,51,876	6,00,44,317		61,80,06,185
9	Uttarakhand	NR	1,416	11,81,60,536	21,08,91,609	4,09,82,023	3,38,67,556	6,31,30,922	3,14,70,669		49,85,03,315
10	Railways-NR-ISTS-UP	NR	130	41,65,768	1,93,63,569	37,62,872	31,09,639	57,96,532			3,61,98,380
11	PG-HVDC-NR	NR	8	4,57,623	11,91,604	2,31,561	1,91,362	3,56,710			24,28,861
12	Northern Railways	NR							25,84,558		25,84,558
13	North Central Railways	NR							20,82,280		20,82,280
14	RAPP 7&8, NPCIL	NR								1,62,99,290	1,62,99,290
15	Adani Renewable Energy Park Rajasthan Limited	NR								17,096	17,096
16	THDC India Ltd.	NR								4,31,72,638	4,31,72,638
17	Adani Renewable Energy Holding Seventeen Pvt. Ltd.	NR								1,20,09,553	1,20,09,553

S.No.	Zone	Region	GNash (in MW)	Usage based AC system charges (₹)	Balance AC system charges (₹)	National Component (₹)		Regional Component (₹)	Transformers component (₹)	Bilateral Charges (₹)	Total Transmission charges payable in ₹ (without waiver)
				AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
18	Gujarat	WR	12,631	32,35,15,503	1,88,14,19,475	36,56,11,398	30,21,41,369	13,72,17,698	8,43,31,632	0	3,09,42,37,076
19	Madhya Pradesh	WR	10,587	57,62,24,260	1,57,69,63,101	30,64,47,176	25,32,48,038	11,50,12,760	14,49,77,728		2,97,28,73,063
20	Maharashtra	WR	9,824	84,13,29,149	1,46,32,90,014	28,43,57,378	23,49,93,022	10,67,22,233	7,52,17,312		3,00,59,09,108
21	Chhattisgarh	WR	3,276	11,68,84,871	48,79,61,939	9,48,24,386	7,83,62,901	3,55,88,562	4,37,49,103		85,73,71,762
22	Goa	WR	673	7,67,50,921	10,02,43,707	1,94,80,101	1,60,98,362	73,11,081	2,63,92,585		24,62,76,757
23	DNHDDPDCL	WR	1,206	6,35,49,608	17,96,34,340	3,49,07,878	2,88,47,881	1,31,01,284	5,63,05,738		37,63,46,730
24	ArcelorMittal Nippon Steel India Ltd (formerly Essar Steel)	WR	563	89,87,183	8,38,59,149	1,62,96,132	1,34,67,129	61,16,105	88,05,858		13,75,31,556
25	PG-HVDC-WR	WR	5	59,309	7,44,753	1,44,726	1,19,601	54,317			11,22,706
26	BARC	WR	5	4,11,924	7,44,753	1,44,726	1,19,601	54,317			14,75,321
27	Reliance Industries Ltd.	WR	500	0	7,44,75,265	1,44,72,586	1,19,60,150	54,31,710			10,63,39,711
28	Hindustan Zinc Limited	WR	250	0	3,72,37,633	72,36,293	59,80,075	27,15,855			5,31,69,856
29	Adani Power Limited	WR								26,19,39,401	26,19,39,401
30	Mahan Energen Limited (formerly Essar Power M.P. Ltd)	WR								5,05,78,071	5,05,78,071
31	Andhra Pradesh	SR	4,210	25,07,41,495	62,70,07,259	12,18,44,705	10,06,92,501	20,81,20,117	3,90,14,750		1,34,74,20,826
32	Telangana	SR	5,801	17,19,70,582	86,40,62,029	16,79,10,947	13,87,61,657	28,68,04,798	3,22,18,694		1,66,17,28,708
33	Tamil Nadu	SR	8,765	87,58,58,387	1,30,55,51,402	25,37,04,440	20,96,61,425	43,33,46,674	8,66,94,014		3,16,48,16,342
34	Kerala	SR	2,679	32,23,66,677	39,90,38,472	7,75,44,118	6,40,82,482	13,24,51,311	7,36,59,405		1,06,91,42,465

S.No.	Zone	Region	GNash (in MW)	Usage based AC system charges (₹)	Balance AC system charges (₹)	National Component (₹)		Regional Component (₹)	Transformers component (₹)	Bilateral Charges (₹)	Total Transmission charges payable in ₹ (without waiver)
				AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
35	Karnataka	SR	5,475	45,59,49,055	81,54,96,708	15,84,73,374	13,09,62,444	27,06,84,698	11,26,01,956		1,94,41,68,234
36	Pondicherry	SR	540	2,36,50,227	8,04,33,287	1,56,30,393	1,29,16,962	2,66,97,913	1,18,54,388		17,11,83,170
37	PG-HVDC-SR	SR	6	6,83,072	9,16,046	1,78,013	1,47,110	3,04,060			22,28,299
38	BHAVINI	SR								1,06,96,529	1,06,96,529
39	ReNew Solar Power Pvt Ltd.	SR								98,21,612	98,21,612
40	West Bengal	ER	3,540	45,74,80,694	52,72,84,879	10,24,65,912	8,46,77,860	7,47,63,944	5,52,93,996		1,30,19,67,285
41	Odisha	ER	2,166	12,56,55,786	32,26,26,850	6,26,95,244	5,18,11,369	4,57,45,397	5,78,81,765		66,64,16,410
42	Bihar	ER	5,417	31,76,95,753	80,68,65,025	15,67,96,001	12,95,76,262	11,44,05,731	17,51,78,005		1,70,05,16,778
43	Jharkhand	ER	1,590	6,26,72,143	23,68,31,344	4,60,22,825	3,80,33,276	3,35,80,416	5,96,52,247		47,67,92,250
44	Sikkim	ER	111	7,08,871	1,65,33,509	32,12,914	26,55,153	23,44,293	24,93,764		2,79,48,504
45	DVC	ER	956	4,54,95,887	14,23,96,707	2,76,71,585	2,28,67,806	2,01,90,489	1,03,93,792		26,90,16,267
46	Bangladesh	ER	982	2,19,40,138	14,62,69,421	2,84,24,160	2,34,89,734	2,07,39,603			24,08,63,056
47	Railways-ER-ISTS- Bihar	ER	20	5,40,945	29,79,011	5,78,903	4,78,406	4,22,395			49,99,660
48	PG-HVDC-ER	ER	2	1,10,159	2,97,901	57,890	47,841	42,240			5,56,030
49	India Power Corporation Limited (IPCL)	ER	100	0	1,48,95,053	28,94,517	23,92,030	21,11,976	19,98,442		2,42,92,018
50	NTPC, North Karanpura STPP, Jharkhand	ER								43,51,348	43,51,348
51	Arunachal Pradesh	NER	208	79,46,332	3,09,81,710	60,20,596	49,75,422	67,13,185	1,09,64,547		6,76,01,793
52	Assam	NER	1,767	8,55,60,026	26,31,95,588	5,11,46,120	4,22,67,169	5,70,29,798	2,13,43,588		52,05,42,289
53	Manipur	NER	177	1,18,76,762	2,63,64,244	51,23,296	42,33,893	57,12,662	30,98,184		5,64,09,041

S.No.	Zone	Region	GNash (in MW)	Usage based AC system charges (₹)	Balance AC system charges (₹)	National Component (₹)		Regional Component (₹)	Transformers component (₹)	Bilateral Charges (₹)	Total Transmission charges payable in ₹ (without waiver)
				AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
54	Meghalaya	NER	290	59,55,563	4,31,95,654	83,94,100	69,36,887	93,59,729	64,45,291		8,02,87,224
55	Mizoram	NER	150	62,25,699	2,23,42,580	43,41,776	35,88,045	48,41,239	9,72,697		4,23,12,036
56	Nagaland	NER	146	1,12,91,636	2,17,46,777	42,25,995	34,92,364	47,12,139	2,04,24,474		6,58,93,386
57	Tripura	NER	311	46,50,122	4,63,23,615	90,01,949	74,39,213	1,00,37,503	2,06,03,206		9,80,55,608
58	PG-HVDC-NER	NER	1	97,450	1,78,741	34,734	28,704	38,730			3,78,359
TOTAL			1,21,971	7,88,31,54,023	18,16,76,36,438	3,53,04,69,974	2,91,75,81,443	3,85,21,28,881	2,00,14,85,311	40,88,85,539	38,76,13,41,609

Transmission Charges to be paid by DICs under Regulation 13(7) for the billing month of July,2025

Where Connectivity is granted to a generating station on existing margins and COD of the generating station or unit(s) thereof is delayed

Sl.No.	Name of Generating Station	Region	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
1	ReNew Power Limited	WR	Bhachau S/s	300	230.1	126MW:18.05.19 58.5MW: 01.10.19 27.6MW: 02.09.20 18MW: 07.02.2021	300MW: 01.05.19	69.9	2,09,700	
2	ReNew Power Limited	WR	Bhachau S/s	50	0	Yet to be commissioned	50MW: 23.11.19	50	1,50,000	
3	NTPC Ltd. (Rihand Solar)	NR	Intra-State	20	0	-	20MW: 20.10.2022	20	60,000	
4	NTPC Limited	WR	Bhuj PS	150	140	50 MW:04.11.2023 90MW: 09.04.2025	28.02.2024	10	30,000	
5	Adani Renewable Energy Holding Four Limited	WR	KPS-1	1000	0	Yet to be commissioned	25.02.2024	1000	30,00,000	
6	Rewa Ultra Mega Solar Power Limited (Agar & Shajapur Park)	WR	Pachora PS	1000	755.00	200MW: COD 11.04.2024 350MW: COD 15.04.2024 50MW: COD 30.09.2024 55MW: COD 29.11.2024 50MW: COD 10.01.2025 50MW: COD 13.03.2025	12.04.2024	245.00	7,35,000	
7	THDC India Ltd. (Khurja STPP)	NR	Aligarh S/s	465.6	0	Yet to be commissioned	30.04.2023	465.6	13,96,800	

Sl.No.	Name of Generating Station	Region	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
8	Rewa Ultra Mega Solar Power Limited (Neemuch Solar Park)	WR	Neemuch PS	500	330	160MW: COD 06.11.2024 (U1) 170MW: COD 26.11.2024 (U2)	06.05.2024	170	5,10,000	
9	NTPC Renewable Energy Ltd.	WR	Bhuj-II PS	300	0	Yet to be commissioned	07.06.2024	300	9,00,000	
10	ReNew Green Energy Solutions Pvt. Ltd	WR	Solapur PG	76	0	Yet to be commissioned	30.06.2024	76	2,28,000	
11	Renew Green Energy Solutions Pvt. Ltd	WR	Solapur PG	48	0	Yet to be commissioned	30.06.2024	48	1,44,000	
12	NTPC Limited (Barh-I)	ER	At generation switchyard	1320	660	Unit-2: 01-08-2023 Unit-3: Yet to be commissioned	30.06.2024	660	19,80,000	
13	Jalpower Corporation Limited	ER	New Melli	120	0	Yet to be commissioned	01.07.2024	120	3,60,000	
14	Renew Solar Power Pvt. Ltd. (RSPPL)	WR	Kallam PS	300	0	Yet to be commissioned	10.08.2024	300	9,00,000	
15	Anupavan Renewables Pvt. Ltd.	WR	Kallam PS	148.75	0	Yet to be commissioned	10.08.2024	148.75	4,46,250	
16	Viento Renewables Pvt. Ltd. (VRPL)	WR	Kallam PS	150	0	Yet to be commissioned	10.08.2024	150	4,50,000	
17	ReNew Green (MHP One) Pvt. Ltd.	WR	Kallam PS	117	0	Yet to be commissioned	10.08.2024	117	3,51,000	
18	Shree Cement Limited	NR	Shree Cement Generation Switchyard	44	0	Yet to be connected to ISTS	30.09.2024	44	1,32,000	

Sl.No.	Name of Generating Station	Region	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
19	Sertentica Renewables India 4 Pvt. Ltd	WR	Kallam PS	200	0	Yet to be commissioned	31.12.2024	200	6,00,000	
20	Ayana Renewables Power Four Pvt. Ltd	WR	Bhuj PS	150	0	Yet to be commissioned	31.12.2024	150	4,50,000	
21	Renew Green Energy Solutions Pvt. Ltd.	WR	Solapur PG	32	0	Yet to be commissioned	31.03.2025	32	96,000	
22	Renew Green Energy Solutions Pvt. Ltd.	WR	Solapur PG	50	0	Yet to be commissioned	31.03.2025	50	1,50,000	
23	Renew Green Energy Solutions Pvt. Ltd.	WR	Solapur PG	70	0	Yet to be commissioned	31.03.2025	70	2,10,000	
24	Renew Green Energy Solutions Pvt. Ltd.	WR	Solapur PG	100	0	Yet to be commissioned	31.03.2025	100	3,00,000	
25	Sprng Vayu Vidyut Pvt Ltd.	WR	Rajgarh	50.4	0	Yet to be commissioned	31.03.2025	50.4	1,51,200	
26	Serentica Renewables India Private Limited	WR	Solapur PG	300	0	Yet to be commissioned	31.03.2025	300	9,00,000	
27	Renew Green Energy Solutions Private Limited	WR	Solapur PG	51	0	Yet to be commissioned	31.03.2025	51	1,53,000	
28	NTPC Renewable Energy Limited	WR	Bhuj-II PS	200	0	Yet to be commissioned	29.03.2025	200	6,00,000	

Sl.No.	Name of Generating Station	Region	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
29	Serentica Renewables India Private Limited	WR	Solapur PG	100	0	Yet to be commissioned	31.03.2025	100	3,00,000	
30	NTPC Renewable Energy Limited	WR	Bhuj-II PS	150	0	Yet to be commissioned	16.05.2025	150	2,32,258	As effectiveness of Connectivity for 150MW w.e.f. 16.05.2025. So, equivalent charges calculated for 16 days.

Transmission charges for NHPTL as per CERC order dated 15.12.2023 in Petition No. 638/MP/2020 for the billing month of July,2025

Name of DIC	Maximum MVA drawal achieved in previous quarter	pf	Regional Component for Madhya Pradesh for the corresponding billing period (Rs.)	GNA of Madhya Pradesh for the corresponding billing period (MW)	Regional Component rate for Madhya Pradesh for the corresponding billing period (Rs./MW)	Transmission Charges in Rs.
NHPTL	2045.41	0.005	11,50,12,760	10,587	10,863	1,11,100

Details of Waiver % of DICs for July 2025 billing month			
Region	State	DIC	Waiver(%)
ER	Bihar	Bihar DISCOMS	15.740
ER	Bihar	Railways-Bihar	0.000
ER	DVC	DVC DISCOM & JBVNL	2.988
ER	DVC	Railways-DVC	1.597
ER	DVC	Tata steel	0.000
ER	West Bengal	WBSEDCL	3.690
ER	West Bengal	CESC	3.374
ER	West Bengal	IPCL	62.724
ER		IPCL_ISTS	0.000
ER	Jharkhand	JBVNL	18.515
ER	Jharkhand	SE Railways-Jharkhand	3.986
ER	Odisha	Odisha	12.786
ER	Odisha	DHAMRAPORT	100.000
ER	Sikkim	Sikkim	0.000
ER	Bangladesh	Bangladesh	0.000
ER		PG_HVDC_ER	0.000
ER		Railways-ER-ISTS-Bihar	0.000
NER	Arunachal Pradesh	Arunachal Pradesh	0.000
NER	Assam	Assam	2.853
NER	Manipur	Manipur	0.000
NER	Meghalaya	Meghalaya	0.000
NER	Mizoram	Mizoram	0.000
NER	Nagaland	Nagaland	0.000
NER	Tripura	Tripura	0.000
NER		PG-HVDC-NER	0.000
NR	Punjab	PSPCL	13.091
NR	Punjab	Northern Railways	0.000
NR	Punjab	Asian FineCementsPrivate Limited	34.779
NR	Punjab	Ambuja Cements Limited	100.000
NR	Haryana	Haryana	16.193
NR	Haryana	Railways_BRBCL_HARYANA	8.872
NR	Rajasthan	Rajasthan DISCOMs	7.024
NR	Rajasthan	Railways	0.000
NR	Rajasthan	Ambuja Cements Limited	100.000
NR	Rajasthan	Vedanta Limited	0.000
NR	Delhi	Delhi DISCOMs, DIAL, NR-DEL	13.904
NR	Delhi	Delhi Metro Rail Corporation Metro	100.000
NR	Uttar Pradesh	UPPCL	10.350
NR	Uttar Pradesh	NPCL	1.110
NR	Uttar Pradesh	Railway	18.490
NR	Uttar Pradesh	ACC Limited	100.000
NR	Uttar Pradesh	Jubilant Ingrevia Limited	0.000
NR	Uttrakhand	Uttrakhand	8.950
NR	Uttrakhand	Ambuja Cements Limited	100.000
NR	Uttrakhand	Linde India Limited	100.000
NR	Himachal pradesh	Himachal pradesh	0.741
NR	Himachal pradesh	ACC Ltd.	100.000
NR	Himachal pradesh	Ambuja Cements Limited	100.000

Region	State	DIC	Waiver(%)
NR	Jammu & Kashmir	Jammu & Kashmir	1.418
NR	Chandigarh	Chandigarh	5.895
NR		Railways-NR-ISTS-UP	5.470
NR		PG-HVDC-NR	0.000
SR	Andhra Pradesh	Andhra Pradesh	9.527
SR	Andhra Pradesh	Linde India Limited	100.000
SR	Andhra Pradesh	Adani Gangavaram Port Ltd	100.000
SR	Karnataka	Karnataka_DISCOMS	11.006
SR	Karnataka	Railways_Karnataka	6.463
SR	Karnataka	ACC LIMITED	64.362
SR	Kerala	KSEB	7.174
SR	Puducherry	Puducherry	28.794
SR	Tamil Nadu	TANGEDCO	2.239
SR	Tamil Nadu	SAIL Steel Plant Salem	0.000
SR	Telangana	TSSPDCL	17.035
SR		PG-HVDC_SR	0.000
WR	Chhattisgarh	CSPDCL	14.168
WR	DD&DNH	DD&DNH	0.000
WR	Goa	Goa	21.604
WR	Gujarat	GUVNL	2.222
WR	Gujarat	Indian Railways	4.986
WR	Gujarat	MPSEZ Utilities Ltd., Mundra	0.000
WR	Gujarat	Torrent Power Limited Dahej	0.000
WR	Gujarat	Torrent Power Ltd Discom Ahmedabad	0.000
WR	Gujarat	Torrent Power Limited DISCOM Surat	0.000
WR	Gujarat	Heavy Water Board_DAE	0.000
WR	Gujarat	Reliance Industries Ltd.	0.000
WR	Gujarat	Sintex Industries Ltd.	0.000
WR	Gujarat	Reliance Polyster Limited	0.000
WR	Gujarat	Adani Hazira Port Limited	100.000
WR	Gujarat	Ambuja Cements Limited	100.000
WR	Gujarat	Linde India Ltd	100.000
WR		Reliance Industries Ltd (Bulk Consumer_ISTS)	0.000
WR	Madhya Pradesh	MPPMCL	13.587
WR	Madhya Pradesh	WCR	6.115
WR	Madhya Pradesh	Hindustan Zinc Limited	0.000
WR	Maharashtra	MSEDCL	9.280
WR	Maharashtra	Adani Electricity Mumbai Limited	68.687
WR	Maharashtra	Tata Power Company Ltd, Maharashtra	32.870
WR	Maharashtra	Central Railways	12.290
WR	Maharashtra	BEST	0.000
WR		PG-HVDC_WR	0.000
WR		Arcelormittal Nippon Steel India Ltd. (Essar Steel)	42.524
WR		BARC	0.000

Transmission Charges for Temporary General Network Access (T-GNA)
for billing month July,2025

S.No.	State	Region	T-GNA rate (Rs./MW/block)
1	Delhi	NR	120.75
2	UP	NR	127.53
3	Punjab	NR	114.99
4	Haryana	NR	143.52
5	Chandigarh	NR	131.01
6	Rajasthan	NR	118.76
7	HP	NR	112.01
8	J&K	NR	115.54
9	Uttarakhand	NR	130.14
10	Gujarat	WR	90.10
11	Madhya Pradesh	WR	103.21
12	Maharashtra	WR	113.09
13	Chhattisgarh	WR	96.74
14	Goa	WR	135.26
15	Daman and Diu and Dadra and Nagar Haveli	WR	115.35
16	Andhra Pradesh	SR	118.31
17	Telangana	SR	105.88
18	Tamil Nadu	SR	133.46
19	Kerala	SR	147.51
20	Karnataka	SR	131.25
21	Pondicherry	SR	117.17
22	West Bengal	ER	134.67
23	Odisha	ER	113.72
24	Bihar	ER	115.95
25	Jharkhand	ER	110.84
26	Sikkim	ER	93.07
27	DVC	ER	104.01
28	Bangladesh	ER	90.66
29	Arunachal Pradesh	NER	120.13
30	Assam	NER	108.89
31	Manipur	NER	117.80
32	Meghalaya	NER	102.33
33	Mizoram	NER	104.26
34	Nagaland	NER	166.82
35	Tripura	NER	116.54

Details of GNash for Billing month of July,2025

S.No.	Drawee DIC	Region	GNash (in MW)
1	Delhi	NR	4810.0
2	UP	NR	10759.5
3	Punjab	NR	5529.0
4	Haryana	NR	5143.0
5	Chandigarh	NR	342.0
6	Rajasthan	NR	5746.0
7	HP	NR	1180.5
8	J&K	NR	1977.0
9	Uttarakhand	NR	1415.9
10	Railways-NR-ISTS-UP	NR	130.0
11	PG-HVDC-NR	NR	8.0
12	Gujarat	WR	12631.2
13	Madhya Pradesh	WR	10587.2
14	Maharashtra	WR	9824.0
15	Chhattisgarh	WR	3276.0
16	Goa	WR	673.0
17	DNHDDPDCL	WR	1206.0
18	ArcelorMittal Nippon Steel India Ltd (formerly Essar Steel)	WR	563.0
19	PG-HVDC-WR	WR	5.0
20	BARC	WR	5.0
21	Reliance Industries Ltd.	WR	500.0
22	Hindustan Zinc Limited	WR	250.0
23	Andhra Pradesh	SR	4209.5
24	Telangana	SR	5801.0
25	Tamil Nadu	SR	8765.0
26	Kerala	SR	2679.0
27	Karnataka	SR	5475.0
28	Pondicherry	SR	540.0
29	PG-HVDC-SR	SR	6.2
30	West Bengal	ER	3540.0
31	Odisha	ER	2166.0
32	Bihar	ER	5417.0
33	Jharkhand	ER	1590.0
34	Sikkim	ER	111.0
35	DVC	ER	956.0

S.No.	Drawee DIC	Region	GNAsh (in MW)
36	Bangladesh	ER	982.0
37	Railways-ER-ISTS-Bihar	ER	20.0
38	PG-HVDC-ER	ER	2.0
39	India Power Corporation Limited (IPCL)	ER	100.0
40	Arunachal Pradesh	NER	208.0
41	Assam	NER	1767.0
42	Manipur	NER	177.0
43	Meghalaya	NER	290.0
44	Mizoram	NER	150.0
45	Nagaland	NER	146.0
46	Tripura	NER	311.0
47	PG-HVDC-NER	NER	1.2

Total

121970.94

Transmission Charges claimed by ISTS licensees for the billing month July,2025

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
1	Powergrid Corporation Of India Ltd	34003.00	34003.00	2887.93	As per data furnished by ISTS Licensee for May'25. MTC of the assets listed under Regulation 13(3) shall be partly settled through the bilateral payments from respective entities as detailed in the transmission charges bill. PowerGrid assets for bilateral payments as mentioned in format I-C are also included in this total YTC claimed.
2	Adani Transmission (India) Limited	603.73	603.73	51.28	As per data furnished by ISTS Licensee for May'25
3	Chhattisgarh-WR Transmission Limited.	168.20	168.20	14.29	As per data furnished by ISTS Licensee for May'25
4	Raipur Rajnandgaon-WR Transmission Limited.	182.37	182.37	15.49	As per data furnished by ISTS Licensee for May'25
5	Sipat Transmission Limited.	84.95	84.95	7.21	As per data furnished by ISTS Licensee for May'25
6	Western Transmission Gujarat Limited	46.95	46.95	3.99	As per data furnished by ISTS Licensee for May'25
7	Western Transco Power Limited	85.58	85.58	7.27	As per data furnished by ISTS Licensee for May'25
8	Alipurduar Transmission Limited	149.84	149.84	12.73	As per data furnished by ISTS Licensee for May'25
9	Fatehgarh-Bhadla Transmission Ltd.	65.04	65.04	5.52	As per data furnished by ISTS Licensee for May'25
10	North Karanpura Transco Limited	39.01	39.01	3.31	As per data furnished by ISTS Licensee for May'25

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
11	Bikaner-Khetri Transmission Limited	128.95	128.95	10.95	As per data furnished by ISTS Licensee for May'25
12	Jam Khambaliya Transco Limited	44.08	44.08	3.74	As per data furnished by ISTS Licensee for May'25
13	Lakadia-Banaskantha Transmission Limited	100.28	100.28	8.52	As per data furnished by ISTS Licensee for May'25
14	WRSS XXI (A) Transco Limited	122.16	122.16	10.38	As per data furnished by ISTS Licensee for May'25
15	Karur Transmission Limited	22.37	22.37	1.90	As per data furnished by ISTS Licensee for May'25.
16	Khavda-Bhuj Transmission Limited	127.19	127.19	10.80	As per data furnished by ISTS Licensee for May'25.
17	Aravali Power Company Private Limited	6.76	6.76	0.57	Data not furnished for May'25. Considered the same as in the earlier billing period.
18	Essar Power Transmission Company Limited	69.07	69.07	5.87	Data not furnished for May'25. Considered the same as in the earlier billing period.
19	Essar Transco Limited	269.64	269.64	22.90	As per data furnished by ISTS Licensee for May'25.
20	Jindal Power Limited	31.06	31.06	2.64	Data not furnished for May'25. Considered the same as in the earlier billing period.
21	Kudgi Transmission Limited	196.29	196.29	16.67	As per data furnished by ISTS Licensee for May'25.

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
22	Parbati Koldam Transmission Company Limited	171.37	171.37	14.55	As per data furnished by ISTS Licensee for May'25.
23	Bhopal Dhule Transmission Company Ltd.	184.89	184.89	15.70	As per data furnished by ISTS Licensee for May'25.
24	East North Interconnection Company Limited	146.33	146.33	12.43	As per data furnished by ISTS Licensee for May'25.
25	Gurgaon Palwal Transmission Limited	131.63	131.63	11.18	As per data furnished by ISTS Licensee for May'25.
26	Jabalpur Transmission Company Limited	146.78	146.78	12.47	As per data furnished by ISTS Licensee for May'25.
27	Maheshwaram Transmission Limited	56.12	56.12	4.77	As per data furnished by ISTS Licensee for May'25.
28	Khargone Transmission Company Ltd.	174.33	174.33	14.81	As per data furnished by ISTS Licensee for May'25.
29	Goa Tamnar Transmission Projects Limited	91.85	91.85	7.02	As per data furnished by ISTS Licensee for May'25. Some of the elements of the said licensee were deemed commissioned on 19.11.2024. So, as per Regulation 13(12)(a) for deemed COD, 50% of equivalent MTC is considered for deemed commissioned elements for the period of 6 months from the date of deemed CoD. Further, as per Regulation 13(12)(d) for deemed COD, TC component is considered 100%.

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
30	Mumbai Urja Marg Limited	302.21	302.21	25.67	As per data furnished by ISTS Licensee for May'25.
31	Lakadia Vadodara Transmission Company Limited	211.79	211.79	17.99	As per data furnished by ISTS Licensee for May'25.
32	Nangalbibra Bongaigaon Transmission Limited	68.30	68.30	3.91	As per data furnished by ISTS Licensee for May'25. Some of the elements of the said licensee were deemed commissioned on 26.11.2024. So, as per Regulation 13(12)(a) for deemed COD, 50% of equivalent MTC is considered for deemed commissioned elements for the period of 6 months from the date of deemed CoD. Further, as per Regulation 13(12)(d) for deemed COD, TC component is considered 100%.
33	NRSS-XXIX Transmission Limited	502.44	502.44	42.67	As per data furnished by ISTS Licensee for May'25.
34	Odisha Generation Phase-II Transmission Limited	145.10	145.10	12.32	As per data furnished by ISTS Licensee for May'25.
35	Patran Transmission Company Limited	30.83	30.83	2.62	As per data furnished by ISTS Licensee for May'25.
36	Purulia & Kharagpur Transmission Company Limited	72.37	72.37	6.15	As per data furnished by ISTS Licensee for May'25.
37	Rapp Transmission Company Limited	43.99	43.99	3.74	As per data furnished by ISTS Licensee for May'25.

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
38	NER-II Transmission Limited	471.83	471.83	40.07	As per data furnished by ISTS Licensee for May'25
39	Kallam Transmission Limited	17.00	17.00	1.44	As per data furnished by ISTS Licensee for May'25
40	Teestavalley Power Transmission Limited	248.37	248.37	21.09	Data not furnished for May'25. Considered the same as in the earlier billing period.
41	Torrent Power Grid Limited	26.03	26.03	2.21	As per data furnished by ISTS Licensee for May'25.
42	Darbhanga-Motihari Transmission Company Limited	134.73	134.73	11.44	As per data furnished by ISTS Licensee for May'25.
43	NRSS XXXI (B) Transmission Limited	98.09	98.09	8.33	As per data furnished by ISTS Licensee for May'25.
44	A D Hydro Power Limited	43.19	43.19	3.67	Data not furnished for May'25. Considered the same as in the earlier billing period.
45	Powergrid Himachal Transmission Ltd (Jaypee Powergrid Limited)	82.08	82.08	6.97	As per data furnished by ISTS Licensee for May'25.
46	Kohima Mariani Transmission Limited	271.40	271.40	23.05	As per data furnished by ISTS Licensee for May'25.
47	Raichur Sholapur Transmission Company Private Limited	25.70	25.70	2.18	As per data furnished by ISTS Licensee for May'25.
48	Koppal-Narendra Transmission Limited	77.19	77.19	6.56	As per data furnished by ISTS Licensee for May'25
49	Damodar Valley Corporation	104.12	104.12	8.84	Data not furnished for May'25. Considered the same as in the earlier billing period.
50	Powerlinks Transmission Limited	135.93	135.93	11.55	Data not furnished for May'25. Considered the same as in the earlier billing period.

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
51	NRSS XXXVI Transmission Limited	22.17	22.17	1.88	As per data furnished by ISTS Licensee for May'25.
52	Warora-Kurnool Transmission Limited	408.80	408.80	34.72	As per data furnished by ISTS Licensee for May'25.
53	Rajgarh Transmission Limited	50.51	50.51	4.29	As per data furnished by ISTS Licensee for May'25.
54	Gadag Transmission Limited	36.44	36.44	3.09	As per data furnished by ISTS Licensee for May'25.
55	Powergrid Vizag Transmission Limited	212.57	212.57	18.05	As per data furnished by ISTS Licensee for May'25
56	Powergrid NM Transmission Limited	156.05	156.05	13.25	As per data furnished by ISTS Licensee for May'25
57	Powergrid Unchahar Transmission Limited	18.27	18.27	1.55	As per data furnished by ISTS Licensee for May'25
58	Powergrid Parli Transmission Limited	326.22	326.22	27.71	As per data furnished by ISTS Licensee for May'25
59	Powergrid Kala Amb Transmission Limited	56.94	56.94	4.84	As per data furnished by ISTS Licensee for May'25.
60	Powergrid Southern Interconnector Transmission System Limited	476.24	476.24	40.45	As per data furnished by ISTS Licensee for May'25
61	Powergrid Jabalpur Transmission Limited	256.43	256.43	21.78	As per data furnished by ISTS Licensee for May'25
62	Powergrid Warora Transmission Limited	364.20	364.20	30.93	As per data furnished by ISTS Licensee for May'25
63	Powergrid Medinipur Jeerat Transmission Limited	579.70	579.70	49.23	As per data furnished by ISTS Licensee for May'25

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
64	Powergrid Mithilanchal Transmission Limited	170.00	170.00	14.44	As per data furnished by ISTS Licensee for May'25
65	Powergrid Ajmer Phagi Transmission Limited	74.79	74.79	6.35	As per data furnished by ISTS Licensee for May'25
66	Powergrid Varanasi Transmissoin System Limited	116.97	116.97	9.93	As per data furnished by ISTS Licensee for May'25
67	Powergrid Fatehgarh Transmission Limited	87.69	87.69	7.45	As per data furnished by ISTS Licensee for May'25
68	Powergrid Khetri Transmission System Ltd.	149.07	149.07	12.66	As per data furnished by ISTS Licensee for May'25
69	Powergrid Bhuj Transmission Limited	151.70	151.70	12.88	As per data furnished by ISTS Licensee for May'25
70	Powergrid Bikaner Transmission System Limited	167.88	167.88	14.26	As per data furnished by ISTS Licensee for May'25
71	Powergrid Ramgarh Transmission Limited	46.41	46.41	3.94	As per data furnished by ISTS Licensee for May'25
72	Powergrid Neemuch Transmission System Limited	78.38	78.38	6.66	As per data furnished by ISTS Licensee for May'25
73	Powergrid Bhadla Transmission Limited	86.63	86.63	7.36	As per data furnished by ISTS Licensee for May'25
74	Powergrid Aligarh Sikar Transmission Limited	118.70	118.70	10.08	As per data furnished by ISTS Licensee for May'25
75	Powergrid Sikar Transmission Limited	194.55	194.55	16.52	As per data furnished by ISTS Licensee for May'25
76	Powergrid ER NER Transmission Limited	12.91	12.91	1.10	As per data furnished by ISTS Licensee for May'25

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
77	Powergrid Raipur Pool Dhamtari Transmission Limited	29.72	29.72	2.52	As per data furnished by ISTS Licensee for May'25.
78	Powergrid Dharamjaigarh Transmission Limited	28.69	28.69	2.44	As per data furnished by ISTS Licensee for May'25
79	North East Transmission Company Limited	252.89	252.89	21.48	As per data furnished by ISTS Licensee for May'25.
80	Transmission Corporation Of Andhra Pradesh (APTRANSCO)	139.14	139.14	11.82	As per data furnished by ISTS Licensee for May'25
81	Madhya Pradesh Power Transmision Co. Ltd.	12.54	12.54	1.06	Data not furnished for May'25. Considered the same as in the earlier billing period.
82	Karnataka Power Transmission Corporation Limited	1.42	1.42	0.12	Data not furnished by ISTS Licensee for May'25. CERC Tariff Order dated 12.06.2019 has been considered
83	Delhi Transco Limited	3.12	3.12	0.26	Data not furnished by ISTS Licensee for May'25. Data as furnished by ISTS Licensee for Dec'20 has been considered.
84	Power Transmission Corporation Of Uttarakhand Ltd.	71.66	71.66	6.09	As per data furnished by ISTS Licensee for May'25. CERC Tariff Order dated 09.11.2021, 25.11.2021, 13.06.2021 and 20.01.2024 have been considered.
85	Rajasthan Rajya Vidhyut Prasaran Nigam Ltd.	6.26	6.26	0.53	Data not furnished for May'25. Considered the same as in the earlier billing period.
86	Tamilnadu Transmission Corporation Limited	0.59	0.59	0.05	Data not furnished by ISTS Licensee for May'25. CERC Tariff 148/TT/2018 Order dated 16.11.2018 has been considered

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
87	Chhattisgarh State Power Transmission Company Ltd	0.75	0.75	0.06	Data not furnished for May'25. Considered the same as in the earlier billing period.
88	Himachal Pradesh Power Transmission Corporation Ltd	2.61	2.61	0.22	Data not furnished for May'25. Considered the same as in the earlier billing period.
89	Odisha Power Transmission Corporation Limited	9.80	9.67	0.82	Data not furnished by ISTS Licensee for May'25. Data as furnished by ISTS Licensee for Jan'21 has been considered. Filing and Publication fee of ₹ 13.67 Lacs as claimed by the licensee is not considered. The same may be claimed in Bill-2 or Bill-3 as applicable.
90	Uttarpradesh Power Transmission Corporation Limited	27.23	0.00	0.00	Data not furnished by ISTS Licensee for May'25. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
91	Power Development Department, Jammu & Kashmir	10.11	0.00	0.00	Data not furnished by ISTS Licensee for May'25. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
92	Gujarat Energy Transmission Corporation Limited	5.71	0.00	0.00	Data not furnished by ISTS Licensee for May'25. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
93	Maharashtra State Electricity Transmission Company Ltd	97.68	0.00	0.00	Data not furnished for May'25. Considered the same as in the earlier billing period.

S.N o.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for May'25 (₹ Cr)	Equivalent MTC to be considered for May'25 (₹ Cr)	Remarks
94	West Bengal State Electricity Transmission Company Ltd	32.05	0.00	0.00	Data not furnished by ISTS Licensee for May'25. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
95	Haryana Vidyut Prasaran Nigam Limited	0.35	0.35	0.03	As per data furnished by ISTS Licensee for May'25.
96	Assam Electricity Grid Corporation Limited	10.78	0.00	0.00	Data not furnished by ISTS Licensee for May'25. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
97	Meghalaya Power Transmission Corporation Limited	3.61	0.00	0.00	Data not furnished by ISTS Licensee for May'25. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
98	Kerala State Electricity Board	10.06	0.00	0.00	Data not furnished by ISTS Licensee for May'25. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available

TOTAL MTC considered for the billing period May'25 from the claimed assets of ISTS licensees (₹ Crores)

3882.28

Entity-wise details of Bilateral billing for July,2025 billing month

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	Remarks
1	400KV D/C Kota - Jaipur (South) line along with associated bays at Kota and Jaipur(South) (part of RAPPJaipur (S) 400KV D/C line with one ckt LILO at Kota)	Powergrid	RAPP 7&8, NPCIL	NR	1,62,99,290	As per Regulation 13(3) of Sharing Regulations 2020
2	Asset 1. Kalpakkam PFBR-Sirucheri 230 kV D/C Line, Asset 2. Kalpakkam PFBR - Arani 230 KV D/C Line,Asset3. 230 kV D/C Kalpakkam PFBR-Kanchipuram transmission line and 2 numbers of 230 kV Bays at Kanchipuram Sub-station of TNEB	Powergrid	Bharatiya Nabhikiya Vidyut Nigam Limited (BHAVINI)	SR	1,06,96,529	As per Regulation 13(3) of Sharing Regulations 2020
3	HVDC Mundra-Mahendergarh	Powergrid	Adani Power Limited	WR	26,19,39,401	--
4	Mahan Bilaspur Line	Essar Transco Limited	Mahan Energen Limited (formerly Essar Power M.P. Ltd)	WR	5,05,78,071	CERC order dated 22.11.2023 in Petition No. Petition No. 24/TT/2023

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	Remarks
5	2 numbers 400 kV line bays at Bhadla (POWERGRID) Sub-station	Powergrid	Adani Renewable Energy Park Rajasthan Limited	NR	8,284	As per Regulation 13(3) of Sharing Regulations 2020
6	Establishment of 400 kV Pooling Station at Fatehgarh	Fatehgarh Badhla Transmission Limited	Adani Renewable Energy Park Rajasthan Limited	NR	8,812	As per Regulation 13(3) of Sharing Regulations 2020
7	Fatehgarh Pooling Station – Bhadla (PG) 765 kV D/C line (To be operated at 400 kV)					
8	2 Nos. 400 kV line bays at Fatehgarh Pooling Station					
9	1x25 MVAR Bus Reactor at 400 kV Fatehgarh Pooling Station along with associated bay					
10	Space for future 220kV (12 Nos) Line Bays					
11	Space for future 400kV (8 Nos) Line Bays alongwith line reactors at at Fatehgarh Pooling Station					

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	Remarks
12	Space for future 220/400kV transformers (5 Nos) alongwith associated transformer bays at each level.					
13	Space for future 400kV bus reactors (2 Nos) alongwith associated bays.					
14	765/400 kV 1500 MVA ICT along with associated bays at Meerut Sub-station under Transmission System associated with Tehri Pump Storage Plant (PSP)	Powergrid	THDC India Ltd.	NR	4,31,72,638	As per Regulation 13(3) of Sharing Regulations 2020
15	765/400 kV 800 MVA ICTI along with associated bays at Koteshwar (Tehri Pooling Station) under Transmission System associated with Tehri Pump Storage Plant (PSP)			NR		As per Regulation 13(3) of Sharing Regulations 2020
16	400 kV S/C Tehri (Generation)-Tehri (Koteshwar) (Quad) line along with associated bays at both ends under Transmission system associated with Tehri Pump Storage Plant (PSP)			NR		As per Regulation 13(3) of Sharing Regulations 2020

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	Remarks
17	400 kV D/C North Karanpura-Chandwa (Jharkhand) Pooling Station line with quad moose conductor	North karanpura Transco Ltd.	NTPC, North Karanpura STPP, Jharkhand	ER	43,51,348	As per Regulation 13(3) of Sharing Regulations 2020
18	400 KV D/C Quad Moose Koppal PS – Narendra (New) Transmission Line	Koppal-Narendra Transmission Limited	ReNew Solar Power Pvt Ltd.	SR	5,68,121	As per Regulation 13(3) of Sharing Regulations 2020
19	400/220 kV Koppal Pooling Station 400kV •ICT: 3x500MVA, 400/220kV •ICT bay: 3 nos. •Line bay: 2 nos. •Bus Reactor bay: 2 nos. 220kV •ICT bay: 3 nos •Line bay: 5 nos. •Bus coupler bay: 1 no. •Transfer Bus coupler bay: 1 no.					
20	2x125 MVar, 420 kV bus reactor at Koppal Pooling station					

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	Remarks
21	- 400 kV GIS Line bay at Narendra (New): 2 nos. - 400 kV GIS Bay for future 765/400kV Transformer: 2 nos. - 400 kV Auxiliary GIS bay module for switching of future 765/400 kV Transformer: 1 no.					
22	Establishment of 400/220kV, 4x500MVA Ramgarh-II PS (Fatehgarh-III PS) with 420kV (2x125MVAR) Bus Reactor 400kV: 500MVA ICT - 4 ICT bays - 4 Line bays - 4 125MVAR Bus Reactor - 2 Reactor Bays - 2 220kV: ICT bays - 4 Line Bays - 7					
23	Ramgarh-II PS(Fatehgarh-III) - Fatehgarh-II PS 400kV D/c line (Twin HTLS)	Powergrid Ramgarh Transmission Ltd.	Adani Renewable Energy Holding Seventeen Pvt. Ltd.	NR	1,20,09,553	As per Regulation 13(3) of Sharing Regulations 2020

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	Remarks
24	2 nos. of 400kV line bays at Fatehgarh-II PS for Ramgarh-II PS - Fatehgarh-II PS 400kV D/c line					
25	Ramgarh-II PS - Jaisalmer-II (RVPN) 400kV D/c line (Twin HTLS)					
26	2 nos. of 400kV line bays at Jaisalmer-II (RVPN) for Ramgarh-II PS - Jaisalmer-II (RVPN) 400kV D/c line					
27	Gadag PS - Narendra (New) PS 400 kV (high capacity equivalent to quad moose) D/c line (Twin HTLS Line)					

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	Remarks
28	400/220 kV, 2x500 MVA Gadag Pooling Station with 400 kV (1X125 MVAR) bus reactor - 400/220 kV, 500 MVA ICT – 2 nos. - 400 kV ICT bays – 2 nos. - 220 kV ICT bays – 2 nos. - 400 kV line bays – 2 nos. - 220 kV line bays – 4 nos. - 125 MVar, 420 kV reactor – 1 no. - 420 kV reactor bay – 1 no. - 220 kV bus coupler (BC) bay -1 no. - 220 kV transfer bus coupler (TBC) bay- 1 no.	Gadag Transmission Limited	Renew Solar Power Pvt. Ltd.	SR	92,53,492	As per Regulation 13(3) of Sharing Regulations 2020
29	400 kV GIS line bays at Narendra (new) for Gadag PS-Narendra (New) PS 400 kV D/c Line 400 kV GIS line bays – 2 nos.					

TOTAL

40,88,85,539

Commercial data containing Monthly Transmission Charges of Inter-State/Intra-State Network elements as per Regulation 13(12) for the billing month of July,2025

1. Monthly Transmission Charges to be disbursed to inter-State transmission licensee as per Regulation 13(12)(a) & 13(12)(b):

Sl. No.	Name of Inter-State Transmission Licensee	Voltage Level	Name of Inter-State Network element	Type of Network element	MTC (Rs.)	COD	Details of the CERC Order
1	Kallam Transmission Limited	400kV	LILO of both circuits of Parli (PG) - Pune (GIS) 400kV D/C Line at Kallam PS	Line	14441753	Deemed COD on 14.02.2024	CERC order dated 01.06.2022 in Petition No. 31/AT/2022
		400kV	1x125MVar bus reactor at Kallam PS 400 kV Reactor bay -1	Bus Reactor			
		400kV	Provision of new 50MVar switchable line reactor with 400 ohms NGR at Kallam PS end of Kallam-Pune (GIS) 400kV D/c line. 2x50 MVar, 400 kV Reactor bay - 2	Line Reactor			
		400/220kV	Establishment of 2X500 MVA, 400/220kV substation near Kallam PS				
		400kV	Xeldem-Mapusa 400kV D/c (Quad) line	Line			

Sl. No.	Name of Inter-State Transmission Licensee	Voltage Level	Name of Inter-State Network element	Type of Network element	MTC (Rs.)	COD	Details of the CERC Order
2	Goa Tamnar Transmission Projects Limited	400/220kV	Establishment of 2x500MVA, 400/220kV substation at Xeldem 400kV • ICTs: 2x500MVA, 400/220kV • ICT bays: 2 nos. • Line bays: 4 nos. (2 nos. for Xeldem-Mapusa 400kV D/c (Quad) line & 2 nos. for LILO of one ckt. of Narendra (New) 400kV D/c quad line at Xeldem) • Bus Reactor : 1x125MVAR • Bus Reactor Bay: 1 no • Space for 2x500MVA, 400/220kV ICTs (Future) • Space for ICT bays (future) : 2 nos. • Space for Line bays along with line reactors (future): 4 nos. • 1x63MVAR switchable line reactor along with 500 ohms NGR and its auxiliaries (for Narendra (existing) -Xeldem 400kV line formed after LILO of one ckt. of Narendra (existing) -Narendra (New) 400kV D/c quad line at Xeldem) • 1x80MVAR switchable line reactor along with 500 ohms NGR and its auxiliaries (for Narendra (New) -Xeldem 400kV (quad) line formed after LILO of one ckt. of Narendra (existing) -Narendra (New) 400kV D/c quad line at Xeldem) 220kV • Inter-connection with Xeldem (existing) substation through 220kV D/c line with HTLS conductor (ampacity equivalent to twin moose conductor) • ICT bays: 2 nos. • Line bays: 6 nos. (2 Nos. for New Xeldem (400 kV)-Xeldem (GED) 220kV D/c line, 2 nos. for New Xeldem (400 kV)-Verna (GED) 220kV D/c line and 2 nos. for LILO of 2nd circuit of Ambewadi-Ponda 220Kv D/c line at New Xeldem (400 kV) • Space for ICT bays (future) : 2nos. • Space for Line bays (future) : 6 nos.	Substation	18978811	Deemed COD on 19.11.2024	CERC order dated 13.07.2018 in Petition No. 97/AT/2018

Sl. No.	Name of Inter-State Transmission Licensee	Voltage Level	Name of Inter-State Network element	Type of Network element	MTC (Rs.)	COD	Details of the CERC Order
3	Nangalbibra Bongaigaon Transmission Limited	220/132kV	Establishment of new 220/132kV, 2x160MVA substation at Nangalbibra i. 220/132kV, 160 MVA ICT - 2 No. ii. 220kV ICT bays - 2 No. iii. 132kV ICT bays - 2 No. iv. 220kV Line bays: 2 No. [for termination of Bongaigaon (POWERGRID) - Nangalbibra 400kV D/c line (initially operated at 220kV) -under this scheme] v. 132 kV Line bays: 2 No. [for termination of Nangalbibra - existing Nangalbibra (MePTCL) 132kV D/c (Single Moose) line of MePTCL] vi. Bus reactor 245kV, 31.5MVA - 2 No. vii. 220kV Bus reactor bays - 2 No. Additional space for future expansion: •220/132kV, 200MVA ICT – 1 No. (along with associated bays at both levels) •400/220kV, 500MVA ICT -3 No. (along with associated bays at both levels) Space for 400kV upgradation: -Line bays along with space for switchable line reactor : 8 No. [2 No. for 400kV operation of Bongaigaon (Powergrid)- Nangalbibra 400kV D/c line (initially operated at 220kV) and 6 No. for other lines] -Bus reactor 420kV, 125MVA- 3 No. -400kV Bus reactor bays- 3 No. Space for future 220kV line bays: 6 No. [2 no. for termination of Mawngap (Meghalaya)-Nangalbibra 220kV D/c line of MePTCL and 4 No. for future lines] Space for future 132kV line bays: 6 No. (for future lines)	Substation	28002172	Deemed COD on 26.11.2024	CERC order dated 27.05.2022 in Petition No. 24/AT/2022

Sl. No.	Name of Inter-State Transmission Licensee	Voltage Level	Name of Inter-State Network element	Type of Network element	MTC (Rs.)	COD	Details of the CERC Order
		400kV	Extension at Boingaigaon (Powergrid) S/s: 2 No. of line bays for termination of Bongaigaon (Powergrid)-Nangalbibra 400kV D/c line (initiated operated at 220kV)	Line bays			
		400kV	Boingaigaon (Powergrid)-Nangalbibra 400kV D/c line (initially operated at 220kV)	Line			

Total

61422737

Date of publication: 25.11.2023

Revised GNash and GNAd as per CERC(Connectivity and General Network Access to the inter-State Transmission System)(First Amendment) Regulations,2023												
State	Yearly Average of Daily Max ISTS drawal (X ₁)(MW)	Yearly Max ISTS drawal(Y ₁)(MW)	Z ₁ = 0.5*x+0.5*y (MW)	Yearly Average of Daily Max ISTS drawal (X ₂)(MW)	Yearly Max ISTS drawal(Y ₂)(MW)	Z ₂ = 0.5*x+0.5*y (MW)	Yearly Average of Daily Max ISTS drawal (X ₃)(MW)	Yearly Max ISTS drawal(Y ₃)(MW)	Z ₃ = 0.5*x+0.5*y (MW)	GNash* (MW)=Avg of Z1 Z2 & Z3	GNA (MW) As per Annexure-I of GNA Regulations ,2022	GNAd (MW) (=GNA-GNash)
	2018-19			2019-20			2020-21					
Northern Region												
Haryana	4660	7321	5991	5433	7778	6606	5499	9132	7316	5143	5418	275
Rajasthan	3874	5596	4735	4359	7759	6059	5080	7466	6273	5689	5755	66
Uttar Pradesh	7068	10304	8686	8136	12090	10113	8492	12582	10537	9779	10165	386
Southern Region												
Tamil Nadu	6707	9560	8134	7361	9984	8673	7501	11475	9488	8765	9177	412
Telangana	4160	6115	5137	4104	7854	5979	4380	8193	6286	5801	6140	339
Andhra Pradesh	2635	4578	3606	2741	5357	4049	3771	6110	4941	4199	4516	317
Western Region												
Chhattishgarh	1100	2219	1659	1491	2353	1922	1459	2714	2086	1889	2149	260
Gujarat	5346	8699	7023	4284	6260	5272	4675	8611	6643	6312	6434	122
Maharashtra	6481	10207	8344	6437	8790	7613	7409	10238	8824	8260	8496	236
Easten Region												
Bihar	4095	4782	4438	4320	5494	4907	4553	5840	5196	4847	5043	196
North Easten Region												
Arunachal Pradesh	118	145	132	99	132	115	84	128	106	117	134	17
Assam	1171	1468	1319	1186	1608	1397	1251	1690	1470	1396	1529	133
Manipur	135	196	166	147	201	174	166	218	192	177	204	27
Nagaland	112	145	128	117	140	128	113	140	126	128	134	6

Note:

1. For computation of GNash, ISTS drawal has been considered after subtracting the Direct drawal based on the details of generating stations as provided by CTU as per CERC(Connectivity and General Network Access to the inter-State Transmission System) (First Amendment) Regulations,2023.
2. Block-wise meter data has been used for computation of ISTS drawal by State.
3. For Haryana, GNash has been reduced by 1495MW in line with the Annexure-I of GNA Regulations,2022
- 4.#As the power from Telangana STPP,, Dhariwal(unit-1 of 300MW) and Chuzachen HEP were not included in ISTS drawl for the period 2018-19, 2019-20 and 2020-21,so for the computation of GNAd & GNash these Generating stations have not been considered.

List of generating stations as provided by CTU, from which drawal through STU lines and Scheduled quantum of States have been considered for computation of Direct drawal and GNash

Northern Region	Generating Stations
Haryana	IGTPS(Jhajjar)
Rajasthan	Anta GPS, RAPS B
Uttar Pradesh	Unchahar Stage-I,Tanda Stage-II,Narora Atomic Power Station(NAPS)
Southern Region	
Tamil Nadu	Madras Atomic Power Station (MAPS), Neyveli TS-II Stage-I, New Neyveli TPS
Telangana	Ramagundam STPS St-I&II, Telangana STPP(#)
Andhra Pradesh	Simhadri- Stage-1
Western Region	
Chhattishgarh	NSPCL (formerly BESCL)
Gujarat	Tarapur 1&2 APS, Kawas GPS, Gandhar GPS
Maharashtra	Tarapur 1&2 APS, Ratnagiri Gas & Power Pvt.Ltd, Dhariwal(# unit-1 of 300MW)
Easten Region	
Bihar	Kanti Stage-2 (at 220kV level)
Sikkim	Chuzachen HEP(#)
North Easten Region	
Arunachal Pradesh	Pare HEP, Ranganadi HEP
Assam	Bongaigaon TPS
Manipur	Loktak HEP
Nagaland	Doyang HEP

Commercial data of RE transmission network to be considered for NC-RE component for July'2025 Billing month as furnished by CTU

[illegible]

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipme nt type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks	
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)									
12	POWERGRID	400	Transmission system for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in Southern Region	1X500 MVA 400/220 kV ICT along with associated bays at Tumkur (Pavagada) Substation	RE-ICT				711	2019-24	Final 19-24	31-03-2019	31-03-2019	656/TT/2020	21-Mar-22			
13		400	Transmission System Associated with"Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	(1)400 kV D/C Ajmer(N)-Aj.(RVPN)TL awab at BE(2)125 MVAR BR awab at Aj.(N)(3)ICT-I awab at Aj.(N)(4)D/C Chit.(New)Chit.(R)TL awab at BE(5)240 MVAR BR awab at Chit.(N)(6)125MVAR BR awab at Chit.(N)(7)ICT-I awab at Chit.(N)(8)ICT-II awab at Chit.(N)	RE-Line	400 kV D/C Ajmer (New)-Ajmer (RVPN) TL	Moose	4	131.23	16330	2019-24	Final 19-24	02-02-2018	02-02-2018	476/TT/2020	28-03-2022		
		400			RE-Line	400 kV D/C Chittorgarh (New)-Chittorgarh (RVPN) TL	Moose	4	97.48									
			Transmission System Associated with"Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	Combined Assets of(1) 765 kV, 240 MVAR BR along with associated bay at Ajmer (New) SS(2) 765/400 kV, 3X500 MVA ICT-II along with associated bays at Ajmer (New) SS	RE													
		400	Transmission System Associated with"Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	2 X400 kV D/C(Quad)Tirunelveli Pooling Station-Tuticorin Pooling station line along with new 400/230kV (GIS) Tirunelveli Pooling SS with 2X125MVAR 400kV BR & associated bays at 400/230kV Tuticorin Pooling station	RE-Line	2 X 400 kV D/C (Quad) Tirunelveli Pooling Station-Tuticorin Pooling station line	Moose	4	24.06									
14			Transmission System Associated with"Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	2X500MVA 400/230kV transformers along with associated bays andequipmentat new 400/230kV (GIS) Tirunelveli Pooling Sub-station	RE				1535	2019-24	Final 19-24	10-06-2018	10-06-2018	476/TT/2020	28-Mar-22	Breakup of Pool & Bilateral portion already given in Format II G(1)		
15		400	Tr. System for Ultra Mega Solar Power Park (700 MW) at Banaskantha (Radhanesda), Gujarat in WR	400 kV Banaskantha (Radhanesda) Pooling Station-Banaskantha (PG) D/C line alongwith 2 nos. 400 Kv line bays at Banaskanta (PG)	RE Line	400 kV Banaskantha (Radhanesda) Pooling Station-Banaskantha (PG) D/C line	Twin Moose	2	130.38	2026	2019-24	Final 19-24	05-09-2020	05-09-2020	203/TT/2021	26-May-22	Breakup of Pool & Bilateral portion already given in Format II G(1)	
16		400	Supplementary Transmission System for Ultra Mega Solar Power Park (700 MW) at Banaskantha (Radhanesda), Gujarat in WR	Est. of 2x500 MVA, 400/220 kV PS at Banaskantha (Radhanesda) (GIS) with 1X125 MVAR BR, 2 nos of 400 kV line bays at Bnsknta (Radhanesda) (GIS) for interconnection of Bnsknta (Radhanesda) PS-Bnsknta (PG) 400 kV D/C (twin AL59) TL & 4 Nos 220 kV Line bays	RE				2373	2019-24	Final 19-24	05-09-2020	05-09-2020	74/TT/2021	9-Jun-22	Breakup of Pool & Bilateral portion already given in Format II G(1)		
17		765	Transmission System for Solar Power Park at Bhadla in the Northern Region	a) 765 kV D/C Bhadla (PG)- Bikaner (PG) with 2x240 MVAR SLR at Bhadla (PG) Ss & 2x240 MVAR SLRs at Bikaner (PG) Ss; (b) 765/400 kV, 1500 MVA ICT-I, II & III with ass. bays at Bhadla (PG) Ss; (c) 1 no of 240 MVAR BR with ass. bays at Bhadla (PG) Ss	RE	765 kV D/C Bhadla (PG)-Bikaner (PG)	Hexa ACSR Zebra	6	338.876	15299	2019-24	Final 19-24	17-10-2019	17-10-2019	9/TT/2021	11-Jun-22		
18		400	Transmission System for Solar Power Park at Bhadla in the Northern Region	2 numbers 400 kV line bays at Bhadla (POWERGRID) Sub-station	RE					244	2019-24	Final 19-24	27-09-2019	27-09-2019	9/TT/2021	11-Jun-22	Breakup of Pool & Bilateral portion already given in Format II G(1)	
19		220	Transmission System for Solar Power Park at Bhadla in the Northern Region	2 numbers 220 kV line bays (205 & 206) at Badhla (POWERGRID) Sub-station	RE					122	2019-24	Final 19-24	07-08-2019	07-08-2019	9/TT/2021	11-Jun-22		

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
20			Transmission System for Solar Power Park at Bhadla in the Northern Region	500 MVA ICT-I along with associated bays at Bhadla (POWERGRID) Sub-station	RE					588	2019-24	Final 19-24	01-06-2019	01-06-2019	9/TT/2021	11-Jun-22	As per APTEL Order dtd 10.08.2023 under DFR No : 541 of 2022, the CERC order under appeal is set aside to the limited extent it has been made applicable to the Appellant (ESUCRL). Accordingly the bilateral portion has been removed here.
21			Transmission System for Solar Power Park at Bhadla in the Northern Region	500 MVA ICT-III along with associated bays at Bhadla (POWERGRID) Sub-station	RE					638	2019-24	Final 19-24	17-05-2019	17-05-2019	9/TT/2021	11-Jun-22	As per APTEL Order dtd 10.08.2023 under DFR No : 541 of 2022, the CERC order under appeal is set aside to the limited extent it has been made applicable to the Appellant (ESUCRL). Accordingly the bilateral portion has been removed here.
22		220	Transmission System for Solar Power Park at Bhadla in the Northern Region	220 kV Sourya Urja line-2 Bay at Bhadla (POWERGRID) Sub-station	RE					78	2019-24	Final 19-24	04-05-2019	04-05-2019	9/TT/2021	11-Jun-22	
23		400	Transmission System for Solar Power Park at Bhadla in the Northern Region	Comb Asset(a) 400 kV D/C Bhadla (PG)-Bhadla (RVPNL) CKTs 1&2 with ass. bays; (b) 400 kV,1X125 MVAR BR with ass. bays at Bhadla (PG) Ss; (c) 400 kV, 500 MVA ICT-2 with ass. bays at Bhadla (PG) Ss; (d) 220 kV, Adani Bhadla (Ps) line-1 bay at Bhadla (PG) Ss	RE	400 kV D/C Bhadla (PG)- Bhadla (RVPNL) CKTs 1&2 with ass. bays	Quad ACSR Moose	4	53.084	2139	2019-24	Final 19-24	29-04-2019	29-04-2019	9/TT/2021	11-Jun-22	As per APTEL Order dtd 10.08.2023 under DFR No : 541 of 2022, the CERC order under appeal is set aside to the limited extent it has been made applicable to the Appellant (ESUCRL). Accordingly the bilateral portion has been removed here.
24		220	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	4 Numbers of 220 kV line bays (Bay No. 213, 214, 219 & 220) at NP Kunta Substation	RE					114	2019-24	Final 19-24	03-08-2018	03-08-2018	8/TT/2023	7-Feb-24	
25		220	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	2 numbers of 220 kV line bays (Bay No. 217 & 218) at NP Kunta Sub-station	RE					79	2019-24	Final 19-24	26-04-2017	26-04-2017	8/TT/2023	7-Feb-24	
26		400	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	Loop out Portion of LILO of Kadapa-Hindupur 400 kV D/C line (both circuits) at NP Kunta Sub-station along with associated bays	RE Line	Loop out Portion of LILO of Kadapa-Hindupur 400 kV D/C line (both circuits) at NP Kunta Sub-station	Quad Moose	2	18.32	487	2019-24	Final 19-24	12-10-2018	12-10-2018	8/TT/2023	7-Feb-24	
27		400	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	Loop in Portion of LILO of Kadapa-Hindupur 400 Kv Double Circuit (D/C) line (both circuits) at NP Kunta Sub-station along with associated bays	RE Line	Loop in Portion of LILO of Kadapa-Hindupur 400 Kv Double Circuit (D/C) line (both circuits) at NP Kunta Sub-station	Quad Moose	2	19.18	442	2019-24	Final 19-24	04-08-2018	04-08-2018	8/TT/2023	7-Feb-24	

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
28		400 kV	Transmission System for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in SR	400 kV D/C Hiriya - Mysore transmission line along with associated bays and 2X80 MVAR switchable line reactors along with associated bays at 400/220 Kv Mysore Sub-station	NC-RE	400 kV D/C Hiriya - Mysore transmission line	Twin ACSR Moose	2	411.448	5576	2019-24	Final 19-24	01-05-2020	01-05-2020	112/TT/2021	3-Jan-23	
29		400/220 kV	Transmission System for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in SR	1X500 MVA 400/220 kV ICTs along with associated bays at Tumkur (Pavagada) Sub-station	NC-RE					626	2019-24	Final 19-24	28-04-2019	28-04-2019	112/TT/2021	3-Jan-23	
30		400 kV	Transmission System for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in SR	1X125 MVA 400kV Bus Reactor along with associated bays at Tumkur (Pavagada) pooling Sub-station	NC-RE					166	2019-24	Final 19-24	03-06-2019	03-06-2019	112/TT/2021	3-Jan-23	
31		400	Transmission Scheme for controlling high loading and high short circuit level at Moga Sub-station in NR	The Bus splitting scheme at Moga Substation	NC-RE					770	2019-24	Final 19-24	10-09-2021	10-09-2021	301/TT/2022	15-Feb-23	
32		220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	1 Number 220 kV Line Bay for 220 kV Rewa Pooling-Ramnagar circuit- 2 line and 1 Number 220 kV Line Bay for 220 kV Rewa pooling-Barsaita Desh circuit 2 line at Rewa Pooling Station	NC-RE					172	2014-19	Final 14-19	25-07-2018	25-07-2018	06/TT/2020	24-Feb-23	
33		220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	1 Number 220 kV Line Bay for 220 kV Rewa Pooling - Ramnagar circuit - 1 line at Rewa Pooling Station	NC-RE					115	2014-19	Final 14-19	16-10-2018	16-10-2018	06/TT/2020	24-Feb-23	
34		220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	2 Number 220 kV line bays for 220 kV Rewa Pooling-Badwar circuit- 1 and circuit- 2 line at Rewa Pooling Station	NC-RE					179	2014-19	Final 14-19	22-11-2018	22-11-2018	06/TT/2020	24-Feb-23	
35		400/220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	1 Number 500 MVA, 400/220 kV ICT 3 along with associated 400 kV and 220 kV transformer bays at Rewa Pooling Station	NC-RE					517	2014-19	Final 14-19	08-02-2019	08-02-2019	06/TT/2020	24-Feb-23	
36		400	Additional ATS for Tumkur (Pavagada) under Transmission system for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase II (Part B)	Tumkur (Pavagada) Pooling station-Devanahally (KPTCL) 400 kV D/C (Quad) line along with associated bays and equipment's at Tumkur (Pavagada) Pooling Station & Devanahally (KPTCL)	NC-RE	Tumkur (Pavagada) Pooling station-Devanahally (KPTCL) 400 kV D/C (Quad) line	Quad ACSR Moose	4	314.84	8153	2019-24	Final 19-24	01-03-2021	01-03-2021	83/TT/2022	31-Mar-23	
37		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA 400/220 kV ICT-4 along with associated 400 Kv and 220 Kv bays at Bhuj Sub-station	NC-RE					494	2019-24	Final 19-24	09-10-2019	09-10-2019	110/TT/2022	30-Jun-23	
38		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA 400/220 kV ICT5 along with associated 400 Kv & 220 Kv bays at Bhuj Sub-station	NC-RE					467	2019-24	Final 19-24	23-10-2019	23-10-2019	110/TT/2022	30-Jun-23	
39		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA 400/220 kV ICT-3 along with associated 400 Kv & 220 Kv bays at Bhuj Sub-station	NC-RE					554	2019-24	Final 19-24	17-09-2020	17-09-2020	110/TT/2022	30-Jun-23	

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
40		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA, 400/220 kV ICT-8 along with associated 400kV and 220kV transformer bays at Bhuj PS and 1 no. 1500 MVA, 765/400 kV ICT-4 along with associated 765 kV and 400 kV transformer bays at Bhuj PS	NC-RE					2154	2019-24	Final 19-24	02-05-2021	02-05-2021	110/TT/2022	30-Jun-23	
41		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA, 400/220 kV ICT-7 along with associated 400 kV and 220 kV transformer bays at Bhuj PS	NC-RE					741	2019-24	Final 19-24	04-05-2021	04-05-2021	110/TT/2022	30-Jun-23	
42		765/400 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 1500 MVA, 765/400 kV ICT-3 along with associated 765 kV & 400 kV transformer bays at Bhuj PS and 1 No. 500 MVA, 400/220 kV ICT-6 along with associated 400 kV & 220 kV transformer bays at Bhuj PS	NC-RE					2150	2019-24	Final 19-24	05-05-2021	05-05-2021	110/TT/2022	30-Jun-23	
43		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 X 500 MVA, 400/220 kV Transformer along with associated bays at Tuticorin-II (GIS) Sub-station	NC-RE					745	2019-24	Final 19-24	28-02-2022	28-02-2022	110/TT/2022	30-Jun-23	
44		220	Extension works at POWERGRID Sub-stations for inter-connection of RE projects in the Western Region	1 No. 220 kV GIS Line Bay at Bhuj Sub-station associated with Part-B: Extension works at Bhuj Pooling Station for interconnection of RE projects	NC-RE					211	2024-29	Final 24-29	14-09-2021	14-09-2021	57/TT/2025	19-05-2025	
45		400	Extension works at POWERGRID Sub-stations for inter-connection of RE projects in the Western Region	Conversion of existing 2x63MVAR Line Reactors at Bhachau end of Bhachau-EPGL 400 kV D/C line to Switchable Line Reactors along with two nos. of 400 kV Reactor bays associated with Part A: PG works associated with Western Region Strengthening Scheme-21	NC-RE												
46		230	Implementation of 1 No. 230 kV bay at Tuticorin-II GIS PS in Southern Region	1 No. 230 kV line bay at Tuticorin-II GIS PS	NC-RE					121	2019-24	Final 19-24	19-08-2022	19-08-2022	67/TT/2023	2-Aug-24	
47		400/220	Implementation of the 1x500 MVA, 400/220 kV ICT (8th) at Bhadla Pooling Station Scheme in Northern Region	500 MVA, 400/220 kV ICT8 along with associated 400 kV and 220 kV bays at Bhadla Sub-station	NC-RE					748	2019-24	Final 19-24	31-03-2023	31-03-2023	389/TT/2023	4-Nov-24	
48	POWERGRID AJMER PHAGI TRANSMISSION LIMITED	765		Ajmer(PG)-Phagi(RVPN) 765 kV D/C line	RE Line	Ajmer(PG)-Phagi(RVPN) 765 kV D/C line	Hexa Zebra	6	269.6	7479	-	-	-	06-05-2021	398/AT/2019	04.03.2020	
		765		2 nos. of 765 kV line bays(AIS) at Ajmer PG-Phagi(RVPN) 765 kV D/C line	RE Line bays									06-05-2021			
		765		1 no. 765 kV bay (AIS) & 1 complete GIS dia 765 kV (2 Main breaker & 1 Tie breaker) at Phagi S/s for Ajmer(PG)-Phagi (RVPN) 765 kV D/C line	RE Line bays									06-05-2021			
		765		3x80 MVAR, 765 kV bus reactor with GIS bay (2nd main bay of new DIA being created for termination of 765 kV D/C line from Ajmer) at Phagi S/s.	RE Bus Reactor									06-05-2021			
		400		Establishment of 400 kV Pooling Station at Fatehgarh										Deemed COD 31.07.2021	94/TL/2018		
		765		Fatehgarh Pooling Station – Bhadla (PG) 765 kV D/C line (To be operated at 400 kV)	Line	Fatehgarh Pooling Station – Bhadla (PG) 765 kV D/C line (To be operated at 400 kV)		6	292					Deemed COD 31.07.2021	94/TL/2018		
		400		2 Nos. 400 kV line bays at Fatehgarh Pooling Station										Deemed COD 31.07.2021	94/TL/2018		

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
49	FATEGARH-BHADLA TRANSMISSION LIMITED	400		1x25 MVAR Bus Reactor at 400 kV Fatehgarh Pooling Station along with associated bay						6504				Deemed COD 31.07.2021	94/TL/2018		Breakup of Pool & Bilateral portion already given in Format II G(1)
		220		Space for future 220kV (12 Nos) Line Bays										Deemed COD 31.07.2021	94/TL/2018		
		400		Space for future 400kV (8 Nos) Line Bays alongwith line reactors at at Fatehgarh Pooling Station										Deemed COD 31.07.2021	94/TL/2018		
		400		Space for future 220/400kV transformers (5 Nos) alongwith associated transformer bays at each level.										Deemed COD 31.07.2021	94/TL/2018		
		400		Space for future 400kV bus reactors (2 Nos) alongwith associated bays.										Deemed COD 31.07.2021	94/TL/2018		
50	POWERGRID FATEHGARH TRANSMISSION LIMITED	765		Fatehgarh-II - Bhadhla-II 765 kV D/C Line	Line	Fatehgarh-II - Bhadhla-II 765 kV D/C Line	ACSR ZEBRA	6	373.5	8769				01-09-2021	441/AT/2019	05.03.2020	
		765		2 nos. of 765 kV bays each at Fatehgarh-II & Bhadhla-II S/s for Fatehgarh-II to Bhadhla-II 765 kV D/C line	Bays		NA	NA	NA					01-09-2021			
		765		240 MVAR Switchable Line Reactor with NGR of 400 ohm at Fatehgarh-II on each circuit of Fatehgarh II -Bhadhla-II 765 kV D/C Line	SLR		NA	NA	NA					01-09-2021			
51	BIKANER-KHETRI TRANSMISSION LIMITED	765		Bikaner (PG) – Khetri S/s 765kV D/c line	Line	Bikaner (PG) – Khetri S/s 765kV D/c line	Zebra	6	481	11299				04-Sep-21	344/TL/2019		
		765		765kV Bays at Bikaner (PG) & Khetri for Bikaner (PG)-Khetri S/s 765kV D/c line. (765kV line bays-4 nos.)						633				04-Sep-21			
		765		1x240 MVAr Switchable line reactor for each circuit at each end of Bikaner-Khetri 765kV D/c line along with reactor bays (1x240 MVAr Line reactor-4 nos., 765kV Reactor bay-4 nos.) 1x80 MVAR, 765 kV, 1-ph Reactor (spare unit) (For 2x240 MVAr line reactor on Bikaner-Khetri 765kV D/c line at Bikaner end)						962				04-Sep-21			
52	POWERGRID KHETRI TRANSMISSION SYSTEM LIMITED	765/400		765/400 kV, 2x1500 MVA ICT along with 765 kV, 2x240 MVAR and 400 kV, 1x125 MVAR Bus reactor at Khetri Substation			NA	NA	NA	3254				04-10-2021	297/AT/2019	23.12.2019	
		765		400 kV, D/C Khetri-Sikar Transmission line		400 kV, D/C Khetri-Sikar Transmission line	Moose	2	156.2	1646				04-10-2021			
		400		400 kV line bays at Sikar (PG) for Khetri-Sikar (PG) 400 kV D/C line			NA	NA	NA	185				04-10-2021			
		765		765 kV, D/C Khetri-Jhatikara Transmission Line		765 kV, D/C Khetri-Jhatikara Transmission Line	ACSR ZEBRA	6	292.1	8755				04-10-2021			
		765		765 kV line bays at Jhatikara for Khetri-Jhatikara 765 kV D/C line			NA	NA	NA	411				04-10-2021			
		765		1x240 MVAR Switchable Line reactors for each circuit at Jhatikara end of Khetri-Jhatikara 765 kV D/C line along with reactor bays			NA	NA	NA	656				04-10-2021			
		400kV		Establishment of 4x500MVA, 400/220kV Jam Khambhaliya PS (GIS)	Sub-Station					2389							
		400kV		1x125MVAR, 420kV Bus reactor at Jam Khabhaliya PS along with reactor bay	Bus Ractor					245							

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
53	JAM KHAMBALIYA TRANSCO LIMITED	400kV		Extension of Essar-Lakadia/ Bhachau 400kV D/c (triple snowbird) line upto Jam Khambhaliya PS	Transmission Line	Extension of Essar-Lakadia/ Bhachau 400kV D/c (triple snowbird) line upto Jam Khambhaliya PS	ACSR Snow Bird	Three	37.234	636				12-Apr-2022	47/AT/2020	24-03-2020	
		400kV		2 nos. of 400kV line bays at Jam Khambhaliya PS for termination of Jam Khambhaliya PS-Lakadia 400kV D/C (triple) line	Line Bays					294							
		400kV		63MVar switchable Line Reactor at both ends of Lakadia - Jam Khambhaliya 400kV D/c line along with 500 Ohms NGR on both circuits & at both ends of Lakadia - Jam Khambhaliya 400 kV D/c line	Line Reactor					473							
54	LAKADIA-BANASKANTHA TRANSMISSION LIMITED	765		Lakadia PS - Banaskantha PS 765kV D/c line	Transmission Line	Lakadia PS - Banaskantha PS 765kV D/c line	Zebra	Six	351	8629				01-Sep-2022	442/TL/2019	23.01.2020	
		765		765kV Bays at Lakadia and Banaskantha substations for Lakadia PS - Banaskantha PS 765kV D/c line	Bays		NA	NA	NA	690							
		765		2x240MVar switchable Line reactor along with bays at Lakadia PS end of Lakadia PS - Banaskantha PS 765kV D/c line	Reactor		NA	NA	NA	709							
55	POWERGRID BHUJ TRANSMISSION LIMITED	765		765 kV D/C Bhuj PS-Bhuj II (PBTL)	Transmission Line	765 kV D/C Bhuj PS-Bhuj II (PBTL)	ACSR ZEBRA	6 (Hexa)	52.6	14412				02.08.2022* (* To be considered in ISTS Pool from 17.10.2022)	448/AT/2019	05.03.2020	
		765		330 MVAR 765 kV Bus Reactor along with associated 765 kV bay	Bus Reactor												
		765/400		1500 MVA, 765/400 kV ICT-2 along with associated 765 kV & 400 kV transfermer bays	ICT												
		400		125 MVAR 400 kV Bus Reactor along with associated 400 kV bay	Bus Reactor												
		400/220		500 MVA, 400/220 kV ICT-2 along with associated 400 kV & 220 kV transformer bays	ICT												
		400/220		500 MVA, 400/220 kV ICT-3 along with associated 400 kV & 220 kV transformer bays	ICT												
		400/220		500 MVA, 400/220 kV ICT-1 along with associated 400 kV & 220 kV transformer bays	ICT												
		765		240 MVAR 765 kV Bhuj II - Lakadia Ckt-1 Line Reactor at Bhuj II end	Line Reactor												
		765		240 MVAR 765 kV Bhuj II - Lakadia Ckt-2 Line Reactor at Bhuj II end	Line Reactor												
		400/220		500 MVA, 400/220 kV ICT-4 along with associated 400 kV & 220 kV transformer bays	ICT												
		220		220 kV line bay-1	Bay												
		220		220 kV line bay-2	Bay												
		220		220 kV line bay-3	Bay												
		220		220 kV line bay-4	Bay												
		220		220 kV line bay-5	Bay												
		220		220 kV line bay-6	Bay												
		220		220 kV line bay-7	Bay												
		765		110 MVAR 765 kV Spare Bus Reactor	Bus Reactor												
		765		765 kV D/C Bhuj II - Lakadia Line (up to tapping point)	Transmission Line	765 kV D/C Bhuj II - Lakadia Line (up to tapping point)	ACSR ZEBRA	6 (Hexa)	52.7	759				16.11.2022			
		765/400		1500 MVA, 765/400 kV ICT-1 along with associated 765 kV & 400 kV transformer bays	ICT												

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipme nt type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
56	WRSS XXI (A) TRANSCO LIMITED	765		Establishment of 2x1500MVA, 765/400kV Lakadia PS with 765kV (1x330MVAR) & 420kV (1x125 MVAR) bus reactor	Sub-Station		NA	NA	NA	3354				17-10-2022	409/TL/2019	27.12.2019	
		765		LILO of Bhachau – EPGL 400kV D/c (triple) line at Lakadia PS	Transmis sion Line	LILO of Bhachau – EPGL 400kV D/c (triple) line at Lakadia PS	Zebra	Six	79	931							
		765		Bhuj PS – Lakadia PS 765kV D/c line	Transmis sion Line	Bhuj PS – Lakadia PS 765kV D/c line	Zebra	Six	215	7482							
		765		2 nos of 765kV bays at Bhuj PS for Bhuj PS – Lakadia PS 765kV D/c line	Bays		NA	NA	NA	448							
57	LAKADIA VADODARA TRANSMISSION COMPANY LIMITED	765kV		765kV D/C Lakadia Vadodara Transmission Line	Line		Hexa Zebra ACSR	36	669.53	18938				28.01.2023	444/AT/2019	05.03.2020	
		765kV		330MVA r switchable line reactors at both end of Lakadia-Vadodara 765kV D/C line along with 500 OHMs NGR at Both ends of Lakadia Vadodara 765kV D/C line.	Substatio n					1394							
		765kV		2 Nos of 765kV bays each at Lakadia and Vadodara S/s for Lakadia Vadodara 765kV D/C line.	Substatio n					847							
58	POWERGRID BIKANER TRANSMISSION SYSTEM LIMITED	400 kV		Establishment of 400 kV switching station at Bikaner –II PS with 420kV (2x125 MVAR) bus reactor. 400 kV line bays – 4 numbers. 125 MVA r, 420 kV bus reactor - 2 numbers. 400 kV bus reactor bay – 2 numbers. 400 kV, 80MVA r line reactor on each circuit at Bikaner –II end of Bikaner -II – Khetri 400 kV 2xD/c Line – 4 numbers. Switching equipment for 400 kV switchable line reactor – 4 numbers	Switchin g station									24.07.2023	98/AT/2021	12.06.2021	
		400 kV		Bikaner-II PS – Khetri 400 kV 2xD/c line (Twin HTLS on M/c Tower)	Line	Bikaner-II PS – Khetri 400 kV 2xD/c line (Twin HTLS on M/c Tower)	HTLS	2	1101.42								
		400 kV		1x80 MVA r Fixed Line reactor on each circuit at Khetri end of end of Bikaner -II – Khetri 400 kV 2xD/c Line - 4 numbers.	Fixed Line reactor												
		400 kV		4 number of 400 kV line bays at Khetri for Bikaner –II PS – Khetri 400kV 2xD/c line	Bay												
		400 kV		Khetri- Bhiwadi 400 kV D/c line (Twin HTLS)	Line	Khetri- Bhiwadi 400 kV D/c line (Twin HTLS)	HTLS	2	251.31								
		400 kV		2 number of 400 kV line bays at Khetri for Khetri - Bhiwadi 400kV D/c line	Bay												
		400 kV		2 number of 400 kV(GIS) line bays at Bhiwadi for Khetri- Bhiwadi 400 kV D/c line	Bay												
				STATCOM at Bikaner-II S/s ± 300 MVA r, 2x125 MVA r MSC, 1x125 MVA r MSR	STATCO M												
		59	KARUR TRANSMISSION LIMITED	400kV		Establishment of 2x500 MVA, 400/230 kV Karur Pooling Station (at a location in between Karur Wind zone and Tiruppur wind zone)	Sub-Station										
400kV				LILO of both circuits of Pugalur – Pugalur (HVDC) 400 kV D/C line (with Quad Moose ACSR Conductor) at Karur PS	Transmis sion Line	LILO of both circuits of Pugalur – Pugalur (HVDC) 400 kV D/C line (with Quad Moose ACSR Conductor) at Karur PS	ACSR Quad Moose		8.51								
400kV				2x125 MVA r, 400 kV Bus reactors at Karur PS	Bus Reactor												

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
62	KHAVDA-BHUJ TRANSMISSION LIMITED	765kV		Establishment of 3X1500 MVA 765/400 kV Khavda (GIS) with 1X330 MVAR 765 kV bus reactor and 1X125 MVAR 420 kV bus reactor	Sub-Station					12719		C		21-Feb-2024	101/AT/2022	10-05-2022	
		765kV		Khavda PS (GIS) – Bhuj PS 765 kV D/c line	Transmission Line	Khavda PS (GIS) – Bhuj PS 765 kV D/c line	Al 59	Six	216.86								
		765kV		2 nos. of line bays each at Bhuj PS for termination of Khavda PS (GIS) – Bhuj PS 765 kV D/c	Bay Extension												
63	RAJGARH TRANSMISSION LIMITED	400 kV		Establishment of 400/220 kV, 3x500 MVA at Pachora SEZ PP with 420 kV (125 MVAR) bus reactor	SS					1377		C		02-Apr-24	Petition No. 170/AT/2022	08.08.2022	
		400 kV		Pachora SEZ PP -Bhopal (Sterlite) 400 kV D/c line (Quad/HTLS) (with minimum capacity of 2100 MVA/ckt at nominal voltage) along with 80MVA switchable line reactors	TL	Pachora SEZ PP -Bhopal (Sterlite) 400 kV D/c line (Quad/HTLS) (with minimum capacity of 2100 MVA/ckt at nominal voltage) along with 80MVA switchable line reactors	HTLS	Twin	287.95	3507		C		02-Apr-24	Petition No. 170/AT/2022	08.08.2022	
		400 kV		2 no. of 400 kV line bays at Bhopal (Sterlite) for Pachora SEZ PP-Bhopal (Sterlite) 400 kV D/c line (Quad/HTLS)	Bays					167		C		02-Apr-24	Petition No. 170/AT/2022	08.08.2022	
64	POWERGRID NEEMUCH TRANSMISSION SYSTEM LIMITED	400/220		Establishment of 2x500 MVA, 400/220 kV Pooling Station (AIS) at Neemuch with 1x125 MVA Bus Reactor 400/220 kV, 500 MVA ICT –2 nos. 400 kV ICT bays – 2 nos. 220 kV ICT bays – 2 nos. 400 kV line bays –4 nos. (2 each for Chhittorgarh & Mandsaur lines) 220 kV line bays – (2 nos. of bays corresponding to 500 MW Connectivity / LTA granted to M/s RUMSL) 220kV Bus coupler bay- 1 no.# 220kV Transfer Bus Coupler (TBC) bay - 1 no.# 125 MVAR, 420 kV reactor-1 no. 420 kV reactor bay – 1 no. Future provisions: Space for 400/220 kV ICTs along with bays: 2 nos. 400 kV line bays: 6 nos. 220 kV line bays: 5 nos. 420kV bus reactor along with bays:1						1789		C		00:00 HRS, 24.04.2024	248/AT/2022	09.12.2022	
		400		Neemuch PS – Chhittorgarh (PG) s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)		Neemuch PS – Chhittorgarh (PG) s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)	AL59 Moose	Quadruple	232.4	2872					248/AT/2022	09.12.2022	
		400		2 nos. of 400 kV line bays at Chhittorgarh (PG) 400 kV s/s for Neemuch PS – Chhittorgarh (PG) s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)						262					248/AT/2022	09.12.2022	
		400		Neemuch PS- Mandsaur s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)		Neemuch PS- Mandsaur s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)	AL59 Moose	Quadruple	236.418	2651					248/AT/2022	09.12.2022	
		400		2 no. of 400 kV line bays at Mandsaur 400 kV s/s for Neemuch PS- Mandsaur s/s 400 kV D/c line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)						262					248/AT/2022	09.12.2022	

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
65	POWERGRID Bhadla Transmission Limited	765 kV		Fatehgarh-II PS - Bhadla-II PS 765 kV D/C line (2nd)		Fatehgarh-II PS - Bhadla-II PS 765 kV D/C line (2nd)	AL59 Zebra	6	404.46	8663				18.08.2024	222/AT/2022	12.11.2022	
		765 kV		2 no. of 765 kV line bays each at Fatehgarh-II and Bhadla-II for Fatehgarh-II PS - Bhadla-II PS 765 kV D/C line (2nd)													
		765 kV		1x240 MVAR Switchable Line Reactor for each circuit at each end of Fatehgarh II - Bhadla- II 765kV D/C line (2nd) 240 MVAR, 765 kV reactor -4 (2 reactors each at Fatehgarh-II & Bhadla-II) Switching equipment for 765 kV reactor -4 (2 switching equipments each at Fatehgarh -II & Bhadla -II) (1x80 MVAR Spare* reactor each at Fatehgarh-II and Bhadla-II to be used as spare for Fatehgarh-II - Bhadla-II 765 kV D/C line (2nd) * not under the present scope													
66	Gadag Transmission Limited	400		Gadag PS - Narendra (New) PS 400 kV (high capacity equivalent to quad moose) D/c line (Twin HTLS Line)		Gadag PS - Narendra (New) PS 400 kV (high capacity equivalent to quad moose) D/c line (Twin HTLS Line)	ACSS Twin HTLS	2	187.018	3644				04-Sep-24	106/AT/2022	08.06.2022	Breakup of Pool & Bilateral portion already given in Format II G(1)
		400/220		400/220 kV, 2x500 MVA Gadag Pooling Station with 400 kV (1X125 MVAR) bus reactor - 400/220 kV, 500 MVA ICT – 2 nos. - 400 kV ICT bays – 2 nos. - 220 kV ICT bays – 2 nos. - 400 kV line bays – 2 nos. - 220 kV line bays – 4 nos. - 125 MVAR, 420 kV reactor – 1 no. - 420 kV reactor bay – 1 no. - 220 kV bus coupler (BC) bay -1 no. - 220 kV transfer bus coupler (TBC) bay- 1 no.			-	-	-								
		400		400 kV GIS line bays at Narendra (new) for Gadag PS-Narendra (New) PS 400 kV D/c Line 400 kV GIS line bays – 2 nos.			-	-	-								
67	POWERGRID Aligarh Sikar Transmission Limited	765kV		Sikar-II - Aligarh 765 kV D/C line		Sikar-II - Aligarh 765 kV D/C line	AL 59 ZEBRA	HEXA	513.72	11870				10.10.2024	51/AT/2022	06.05.2022	
		765kV		2 no. of 765 kV line bays at Sikar-II for Sikar-II - Aligarh (GIS) 765 kV D/C line 765 kV line bays -2*(Sikar-II S/s)													
		765kV		1x330 MVAR Switchable line reactor for each circuit at each end of Sikar-II - Aligarh (GIS) 765 kV D/C line 330 MVAR, 765 kV reactor-4 (2 reactors each at Sikar -II and Aligarh) Switching equipment for 765 kV reactor-4 (2 switching equipment each at Sikar -II and Aligarh) 110 MVAR, 765 kV, 1 ph Reactor (spare unit) at Aligarh-I													

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipme nt type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)								
68	POWERGRID Sikar Transmission Limited	765/400		1) Establishment of 765/400 kV, 2x1500 MVA at Sikar – II with 400kV (1x125 MVAR) and 765 kV (2x330 MVAr) bus reactor: 765/400 kV, 1500 MVA ICT – 2 765/400 kV, 500 MVA spare single-phase ICT-1 765 kV ICT bays – 2 400 kV ICT bays – 2 765 kV line bays –2 400 kV line bays- 2 125 MVAr, 420 kV bus reactor-1 420 kV reactor bay –1 330 MVAr, 765 kV bus reactor- 2 (6x110 MVAR) 765 kV reactor bay- 2 110 MVAR, 765 kV, 1 ph Reactor (spare unit) -1 (common spare unit for banks of Bus Reactor & Line Reactor) Future Provision Space for: 765/400kV ICT along with bays-2 765kV line bays along with switchable line reactors- 10 400kV line bays along with switchable line reactor- 6 400kV bus reactor- 2						19455				19.12.2024	49/AT/2022	04.05.2022	
		765		2) Bhadla-II PS – Sikar-II 765kV D/c line	Line	2) Bhadla-II PS – Sikar-II 765kV D/c line	Al 59 Zebra	6	618								
		765		3) 2 no. of 765 kV line bays at Bhadla- II for Bhadla-II PS – Sikar-II 765kV D/c line: 765 kV line bays –2													
		765		4) 1x330 MVAr switchable line reactor for each circuit at Sikar-II end of Bhadla-II PS – Sikar-II 765kV D/c line. 330MVAr, 765 kV reactor- 2 Switching equipment for 765 kV reactor – 2													
		765		5) 1x240MVAr switchable line reactor for each circuit at Bhadla-II end of Bhadla-II PS – Sikar-II 765kV D/c line 240 MVAr, 765 kV reactor-2 Switching equipment for 765 kV reactor – 2													
		400		6) Sikar-II – Neemrana 400kV D/c line (Twin HTLS)	Line	6) Sikar-II – Neemrana 400kV D/c line (Twin HTLS)	HTLS (ACSS)	2	167								
		400		7) 2 no. of 400 kV line bays at Neemrana for Sikar-II – Neemrana 400kV D/c line (Twin HTLS)													
										418257							